
SDMS US EPA REGION V COLOR - RESOLUTION - 3 IMAGERY INSERT FORM

Multiple pages of this document include color or resolution variations and may be illegible in SDMS due to bad source documents. Unless otherwise noted, these pages are available in monochrome. (The source document page(s) are more legible than the images.) The original document is available for viewing at the Superfund Records Center.

SITE NAME	SAUGET AREA 1
DOC ID#	150584
DOCUMENT VARIATION	X COLOR OR RESOLUTION
PRP	
PHASE	SAS
OPERABLE UNITS	
LOCATION	Box # Folder # Subsection
PHASE (AR DOCUMENTS ONLY)	Remedial Removal Deletion Docket Original Update # Volume of
	COMMENT(S)
	PHOTOGRAPHS



Site Priority Status Recommendation

The author of this report recommends that the Sauget Sites Area #1 be assigned a high priority status rating. The sites should be advanced to formal scoring under the Hazard Ranking System (HRS) for addition to the National Priority List (NPL). The recommendation is a result of past sample results, as well as the findings of the CERCLA Screening Site Inspection (SSI) conducted at Sauget Sites Area #1.

In 1989, the Area #1 Sites were scored by Ecology and Environment, Incorporated (E&E) for the Illinois Environmental Protection Agency (IEPA). Sites G, I/H, L together with Creek Segments A and B, scored a 34.75, however, the untimely submittal prevented the Sites from being listed due to the pending changes in the HRS.

The sample results and other findings of the <u>Expanded Site Investigation Dead Creek Project Sites at Cahokia/Sauget, Illinois</u> conducted by E&E for IEPA, contains pertinent data on the Area #1 Sites to facilitate HRS scoring. The results of the CERCLA SSI conducted by Illinois EPA, expanded on this data.

Documented groundwater contamination exists at the Area #1 Sites. The contaminants include volatile and semi-volatile organic hydrocarbons, pesticides and inorganic compounds. The groundwater contaminants show attribution to the sites via on-site soil sample results. There is proof that a small percent of the nearby population utilize shallow alluvial wells for drinking. During the June, 1991 CERCLA SSI for the nearby Sauget Sites Area #2, a non-community well serving over 25 people was sampled. PT's Show Club well, located approximately 1800 feet north of the Area #2 sites and 3400 feet northeast of the Area #1 sites, was found to contain chloroform, a compound also detected in the Area's #1 and #2 soil and groundwater samples. The levels of chloroform were below USEPA's Maximum Contaminants Levels (MCL's) which figures for a level II contaminant in the HRS scoring process.

Surface water is subject to contamination from the Area #1 Sites. The sediment sample collect at the point where Dead Creek enters the Old Prairie Dupont Creek is evidence that surface waters have been impacted. Surface water targets include fishery use, wetlands, recreational areas and a Bald Eagle rook. The on-site wetlands in Creek Segment F, were found to be contaminated during the CERCLA SSI. Mississippi River fish sampling results from the US Food and Drug Administration (FDA) and EPA have confirmed bioaccumulation of Area #1 and #2 contaminants in the tissue of fish caught adjacent to the Sites.

Soil exposure at the Area #1 sites presents a potential

human health risk. Site H and the unfenced segments of Dead Creek contain areas of surface soil contamination, and are accessible to whoever is ignorant to the conditions of these sites.

An air release has been documented at the Sites. PCB,s, 2-nitroaniline, pyrene, fluorene and naphthalene were detected in the air samples collected during E&E's investigation of the Dead Creek Project Sites. There are two schools and residential areas within a quarter mile of the Sites. There are also workers on-site and in areas between sources at the Sites.

TABLE OF CONTENTS

<u>Sect</u>	<u>ion</u>	<u>Page</u>
1	INTRODUCTION	1-1
2	SITE BACKGROUND. 2.1 INTRODUCTION. 2.2 SITE DESCRIPTIONS. 2.3 SITE HISTORIES. 2.4 PREVIOUS INVESTIGATIONS. 2.5 APPLICATION OF OTHER STATUTES.	2-1 2-1 2-1 2-2 2-8 2-19
3	SCREENING SITE INSPECTION PROCEDURES. 3.1 INTRODUCTION	3-1 3-1 3-1 3-2 3-4 3-5 3-8 3-8
4	SOURCES OF CONTAMINATION 4.1 INTRODUCTION. 4.2 SITE G. 4.3 SITES H.& I. 4.4 SITE L. 4.5 SITE M. 4.6 SITE N. 4.7 DEAD CREEK SEGMENT A. 4.8 DEAD CREEK SEGMENT B. 4.9 DEAD CREEK SEGMENTS C-F.	4-1 4-1 4-3 4-7 4-8 4-10 4-12 4-14
5	DISCUSSION OF MIGRATION PATHWAYS 5.1 INTRODUCTION. 5.2 GROUNDWATER. 5.3 SURFACE WATER. 5.4 AIR. 5.5 ON-SITE EXPOSURE.	5-1 5-1 5-1 5-3 5-5 5-5
6	BIBLIOGRAPHY	6-1

<u>Figure</u>		Page
2-1	STATE OF ILLINOIS LOCATION MAP	2-3
2-2	AIR SAMPLE LOCATIONS 07/16/87	2-16
2-3	AIR SAMPLE LOCATIONS 07/17/87	2-17
3-1	SITE FEATURES	3-3
3-2	SOIL/GROUNDWATER SAMPLE LOCATION MAP	3-6
4-1	SITE G AND NORTHERN CS B	4-2
4-2	SITE L, H AND NORTHERN CS B	4 - 4
4 - 3	SITE M, SOUTHERN CS B AND NORTHERN CS C	4 - 9
4 - 4	SITE N AND CS C	4-11
4-5	SITE I AND CS A	4-13
4 - 6	CS C THROUGH F	4-15
<u>Table</u>		<u>Page</u>
2-1	AGGREGATED SOURCES AT SAUGET SITES AREA #1	2-2
2-2	SAUGET AREA GENERATORS	2-7
2-3	SOIL GAS SURVEY RESULTS	2-10
2 - 4	MAXIMUM CONCENTRATIONS OF SELECTED CONTAMINANTS IN SOILS AND SEDIMENTS	2-12
2-5	MAXIMUM CONCENTRATIONS OF SELECTED CONTAMINANTS IN GROUNDWATER	2-14
2-6	AIR SAMPLE RESULTS FROM SITE G AND CS-B	2-18
3-1	GROUNDWATER SAMPLE DESCRIPTIONS	3 - 4
3-2	SOIL/SEDIMENT SAMPLE DESCRIPTIONS	3-7
3 - 3	KEY SAMPLE RESULTS FROM IEPA COLLECTED SAMPLES.	3-9
5 _1	TARGET POPULATION CALCULATION	5-6

APPENDIX		<u>Page</u>
A	GROUNDWATER 4-MILE RADIUS MAP	A-1
В	SURFACE WATER ROUTE MAP	B-1
С	USEPA FORM 2070-13	C-1
D	TARGET COMPOUND LIST	D-1
E	WELL LOGS	E-1
F	IEPA SITE PHOTOGRAPHS	F-1
G	FLOOD INSURANCE RATE MAPS	G-1
Н	SENSITIVE AREAS FORM	H-1
I	ANALYTICAL RESULTS (see volume 2 of 2)	I-1
-	DDIVAME WELL CAMBLE FORMS	т 1

1. INTRODUCTION

On January 24, 1991, the Illinois Environmental
Protection Agency's (IEPA) Pre-Remedial Unit was tasked by
the United States Environmental Protection Agency (USEPA) to
conduct a Screening Site Inspection (SSI) of Sauget Sites
Area #1.

Environmental and human health concerns arise from many problem sites and potential areas of contamination in Sauget and northern Cahokia. Over time, the USEPA has added these sites to the Comprehensive Environmental Response Compensation and Liability Act's Information System (CERCLIS), in response to requests for discovery by IEPA and other agencies. The sites have been evaluated in the past by Preliminary Assessments (PA's) conducted by IEPA and USEPA contractors. Although the Area #1 sites have been previously scored by an IEPA contractor, the Sites were not proposed for the National Priorities List (NPL) because of the forthcoming Hazard Ranking System (HRS) model changes. IEPA's Pre-Remedial Unit prepared an SSI work plan for Sauget Sites Area #1 that was submitted to USEPA Region V in March, 1991. sampling portion of the SSI was conducted in June, 1991 when personnel from the Agency's Pre-Remedial Unit collected eighteen samples (five groundwater and thirteen soil and sediment).

The purpose of an CERCLA SSI have been stated by USEPA in a directive outline of Pre-Remedial Program strategies. The directive states:

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS [Hazard Ranking System] score, 2) establish priorities among sites most likely to qualify for the NPL (National Priorities List), and 3) identify the most critical date requirements for the listing SI step. A Screening Si will not have rigorous date quality objectives (DQOs). Based on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP [no further remedial action planned], or carried forward as an NPL listing candidate. A listing SI will not automatically be done on these sites, however. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA (Resource Conservation and Recovery Act].... Sites that are designated NFRAP or deferred to other statutes are not candidates for a listing SI.

The listing SI will address all the data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred to another authority will receive a listing SI. (USEPA 1988)

The Region V offices of the USEPA have also requested that the IEPA identify sites during the SSI that may require removal action to remediate an immediate human health and/or environmental threat.

2. SITE BACKGROUND

2.1 INTRODUCTION

This section includes information obtained over the course of the formal CERCLA SSI investigation, as well as previous IEPA, USEPA and local industry sponsored investigations of the Sauget Sites Area #1.

2.2 SITE DESCRIPTIONS

Sauget Sites Area #1 (also referred to as Area #1 Sites or just Sites for the purposes of this report) include at least 9 primary sources of contamination in and adjacent Dead Creek in Sauget and northern Cahokia. The nine sources are contained within eight aggregated Sites include four landfills, three lagoons and contaminated segments of Dead Creek. A 4-mile radius map of these Sites can be viewed in Appendix A. The following index lists the eight common site names, followed by the name of each site as entered on CERCLIS and the corresponding ILD number.

Common <u>Name</u>	CERCLIS <u>Name</u>	ILD <u>Number</u>
Site G	Dead Creek Area G	ILD 981953623
Sites I/H	Sauget Monsanto Landfill	ILD 980614176
Site L	Waggoner Trucking Company	ILD 984809269
Site M	H.H. Hall Excavation Pit	ILD 984809251
Site N	H.H. Hall Construction Company	ILD 982073603
CS A	Dead Creek Segment A	ILD 984809277
CS B	Dead Creek	ILD 980792006
CS C-F	Dead Creek Segments C through F	ILD 984809285

A summarized source description for each of the Area #1 Sites is presented in the following table. The map on the following page shows the Sites location with respect to the State of Illinois.

Table 2-1

Aggregated Sources at Sauget Sites Area #1


Site <u>Name</u>	Source <u>Type</u>	Source <u>Size</u>	Years of Operation	Owner at <u>that Time</u>	Observed Contamination
G	Landfill	approx. 4.5 ac.	1952-late 1970's	Leo Sauget Wiese Eng.	Soil, GW Air
I/H	connected Landfills	approx. 24 ac.	1931-1957 (H)1981	Leo Sauget J. Tolbird	Soil, GW
L	2 Lagoons	approx. 0.17 ac.		arold Waggoner Ruan Trucking	Soil, GW
M	Lagoon	1.36 ac.	1950's-unk.	H.H. Hall	Soil, GW
N	Landfill	approx. 4-5 ac.	1950's-unk.	H.H. Hall	Soil
CS A	Contaminated Sediment	1700 ft	. early 1900's-	Leo Sauget	*Soil, GW
CS B	Contaminated Sediment	1800 ft	. early 1900's-	Village Residents	Soil, GW Air
CS C-F	Contaminated Sediment	15000 ft	. early 1900's-	Village Residents	Soil

Abbreviations: ac.-acre(s), unk.-unknown, approx.-approximately, Co.-Company, GW-Growndwater, Rt.-Route, SW-Surface Water, *-remediated as of December, 1990.

A comprehensive description of each of the Sites is contained within Section 4 (Sources of Contamination). Each site is depicted on the maps in Section 4.

2.3 SITE HISTORIES

Waste disposal began in Area #1 with the purchase of property at Site H for the disposal of hazardous wastes



generated by local industries. According to title records, Mr. Leo Sauget began acquiring property for disposal purposes as early as December, 1931 (see purchase of Lot 128 of Cahokia Commonfields). According to aerial photo's (1937), disposal first occurred in the northern portion of Site H and proceeded in a southeasterly direction. As the disposal area on Lot 128 was used up, operations were moved to the north (into Site I) with Mr. Sauget's purchase of Lot 127 (Cahokia Commonfields) in April, 1943.

The Village of Monsanto purchased a strip of Lot 210 (Third Subdivision of Cahokia Commonfields) in August, 1948 for the construction of Midwest Avenue (now Queeny Avenue). As verified by aerial photos, this road construction marked a period after which disposal activities intensified in the southern portion of Site I (Lot 127). Mr. Leo Sauget acquired portions of certain lots (County Tax parcels 1-26-401-003 and 1-26-401-004) also known as Site G in July, 1952. Similar waste disposal practices followed at this site.

As for additional disposal at Site I, Mr. Leo Sauget's son, Mr. Paul Sauget purchased Lot 126 in April 1930 and turned the title over to Illinois State Trust in July, 1948. According to Aerial photos, disposal would have began in the northern-most landfill shortly after this time. Mr. Leo Sauget took over the property in December, 1952 and evidently continued waste disposal practices until 1957 when he began using Area #2 (Site R landfill) for the disposal of Monsanto wastes. A "Notification of Hazardous Waste Site" form was

submitted by two Monsanto plants for a landfill at a Falling Springs address. Indications were given that varying amounts of chemical wastes were disposed of until 1957.

In November of 1959, Mr. Leo Sauget obtained a certificate of authority to transact business in Illinois under the name "Industrial Salvage and Disposal,"
Incorporated" with Leo, Paul and Vincent Sauget serving on the board of Directors. The name was changed to "Sauget & Company" in November, 1966. The fact that Mr. Leo Sauget's business was not incorporated until 1959 suggests that most of his business was done on a contractual basis. Leo and Paul Sauget then solicited other hazardous waste generators/transporters after their business was organized.

Harold Waggoner & Company (a hazardous/special waste hauler) purchased property south of Site H in 1963. The purchase included County Tax parcels 1-35-200-013, -031, -033, -034, -035, -036. Waste disposal began at Site L in 1971 after IEPA caught the company dumping wastewater into CS B. The business operated two surface impoundments which were used to dispose of hazardous waste products and truck washings from its hauling operations. In 1975, the property was transferred to Harold Waggoner, who in turn sold it to Ruan Trucking Company in 1981. Ruan reportedly continued this disposal practice in parcels 1-35-200-013 and -031 (Site L). Upon Ruan's purchase of Waggoner's entire property, parcels 1-35-200-033, -034, -035 and -036 were sold to Tony Lechner (April, 1982) and eventually to current owner,

L. Kelley Paving and Construction Company in December, 1984.

Disposal at Site G may have continued under Industrial Salvage Incorporated through May, 1966 when Mr. Leo Sauget sold the property to its current owner, Wiese Engineering. There may also be private ownership of certain portions of Site G. All Site H and I property was sold by Mr. Leo Sauget to Roger's Cartage Company in two transactions (December, 1965 and April, 1968). Roger's Cartage apparently used the property at Site I for parking until it was sold to Cerro Corporation in the transactions of May, 1967 and June, 1968. Cerro Copper Products Company now owns all portions of Site I. The Site H portions of Roger's Cartage property were transferred to the current owner, Mr. James Tolbird in 1979.

Two former sand pits that lie alongside Dead Creek are Sites M and N. These pits were owned by H.H. Hall Construction Company during the times of disposal. The age of the pits dates back to the 1940's. Although unsubstantiated, these pits were recipients of local wastes as evidenced by sample data and historical aerial photographs.

The Village of Sauget was and still is home to many hazardous waste generators and transporters. Most of the Sauget generators and transporters of hazardous waste are listed in Table 2-2 on the following page.

Table 2-2

Local Sauget Generators

American Zinc (later Big River Zinc followed by Amax Zinc) Darling Fertilizer (defunct) Federal Chemical (later part of Krummrich Plant) Industrial Salvage and Disposal Company (later Sauget and Company Lewin Metals (later Cerro Copper Products) Lubrite Refining (later Socony Vacuum, followed by Mobil Oil) Midwest Rubber Reclaiming Company Monarch Petroleum (later Sunoco, followed by Mineweld) Monsanto Chemical Company - Krummrich Plant Sterling Steel Castings Union Electric Power Plant (defunct) Rogers Cartage Company US Chemical Warfare Service (later Monsanto then Edwin Cooper and now Ethyl Corporation) Waggoner Trucking (later Ruan Transportation Corporation) Wiese Planning and Engineering, Incorporated

Prior to the development of an interceptor sewer line to the Mississippi River, in the late 1930's, the industries closest to Dead Creek would let their waste flow into the intermittent creek. Even after a 36 inch sewer line was built to carry wastes to the Mississippi River, overflows, created by flooding or peaks in waste output, were routed into Dead Creek (Sanitary Water Board maps). In 1942, the Monsanto (Sauget) village engineer admitted that Dead Creek would be routinely used for waste discharge. Residents located between Sauget and Cahokia were awarded \$4,000 because of complaints about Dead Creek disposal. The local industries paid despite their claims that the discharges would be beneficial since the great volume of water would flush settled solids from Dead Creek into the Mississippi River (1942 Report to SWB).

Additional sources of effluent have been found entering

Dead Creek (Sanitary Water Board maps). These include outfalls found during the 1990, 13 million dollar clean-up of Dead Creek Segment A by Cerro Copper Products and an 18 inch line from Midwest Rubber Reclaiming. This line discharged wastewater into CS B as did the overflow from the Waggoner Trucking Company lagoons.

As local industry expanded, so did the hazardous and special waste haulers in the area. Mr. Leo Sauget's Industrial Salvage and Disposal Company (later Sauget and Company) used the slag and fly ash from the nearby Union Electric Power Plant for landfill cover materials. Waggoner Trucking Company also disposed of wastes from local industries. IEPA observed a Waggoner Trucking Company truck dumping wastes directly into CS B. Later, the company was forced to build the two lagoons at Site L. The lagoons were designed to overflow into Dead Creek. Another hazardous waste hauler used by the area generators was Rogers Cartage, owned by Mr. James Tolbird. Mr. Tolbird purchased the filled Site H, where he may have deliberately dumped liquid wastes (1981 aerial photograph).

2.4 PREVIOUS INVESTIGATIONS

In 1980, USEPA conducted a thermal infrared study of the E. St. Louis and Sauget area (February, 1981, Thermal Infrared Survey of Hazardous Waste Sites East St. Louis, Illinois TS-AMD-8128). The pictorial gives a visual account of thermal discharges in Dead Creek as well as leachate seeps entering the creek from Sites I, G and N. Discharges from

the ponded water at Site M are more obvious with the eight foot opening into at CS B.

Also in 1980, IEPA conducted a hydrogeologic study of the Dead Creek Area. This included the installation of a dozen monitor wells and the collection of soil and sediment samples. The study revealed widespread soil and groundwater contamination of organics and inorganics in the area surrounding the northern portion of Dead Creek.

The hydrogeologic study prompted IEPA to try and place the sites located around the northern portion of Dead Creek on the NPL. The 1984 scoring package was rejected because more documented information was needed for the Area #1 Sites.

Documented Area #1 scoring information was gained through IEPA's 1985 contract with Ecology and Environment, Incorporated (E&E). E&E investigated 12 suspected uncontrolled hazardous waste sites and the six segments of Dead Creek in Sauget and Cahokia. The investigation included the Area #1 Sites (with the segments of Dead Creek) and the Area #2 Sites. The IEPA financed investigation involved geophysical surveys, soil gas surveys, geological borings with monitor well installation, and samples of soil, sediment, surface water, groundwater and air.

E&E's geophysical survey included the use of magnetometry and electomagnetics (EM). Magnetometry aids in the detection of buried ferrous materials such as drums, while EM helps identify subsurface materials and possible contaminant plumes (some contaminants produce an increase in

free ion concentration in soil and groundwater). A fluxgate gradiometer magnetometer was used for the magnetrometry work, as it provided less surface noise interference. The Area #1 surveys took place at Sites G, H, and L. Intense anomalies were observed at Sites G and H for both surveys, however Site L's EM survey found no significant anomalies and magnetometry proved inconclusive due to interferences from heavy machinery.

Following the geophysical work, E&E conducted a soil gas survey. Stainless steel pipes were hammered into the ground to three foot depth. Air was then drawn through a teflon connector and into a flame ionization, organic vapor analyzer (OVA). The following table shows that volatile organic soil gases were found at each Site/Segment.

Table 2-3
Soil Gas Survey Results

<u>Site</u>	<pre># of Hits Per # of Samples</pre>	Hit Sample Level in mg/l of Air
G	. 2/11	>100
Н	6/12	>1000
CS A/I	6/19	>1000
CS B	2/7	>100
CS C	1/3	$>3 \times bkg$.
L	3/10	>1000
M	2/6	$>3 \times bkg$.
N	5/8	$>3 \times bkg$.
N	2/8	>1000

bkg.-background sample location, >-greater than, x-times,
mg/l-milligrams per liter.

After viewing historic aerial photographs and conducting the geophysical and soil gas surveys, E&E continued the Dead Creek area investigation with geologic borings and monitor

well installation. The boring logs show that, in many instances, the geologic profiles include waste as part of the subsurface characteristics. What follows are examples of the waste, explicitly described in the boring logs: {G-9, 11-12.5 feet- WASTE consisting of black fibrous material with pink grease-like globules (wet). Pink globules float on water; H-4, 18.5-20 feet- WASTE same as above (black sludge with small spherical beads, broken glass, paper products), including a greenish-yellow jelly-like material. Wet with an oil or tar like substance adhering to the spoon. 23.5-25 feet- WASTE consisting of multi-colored (red, green, brown, black and white) materials including a chunk of a waxy white substance that breaks into flakes; I-6, 21-22.5 feet- WASTE consists of various debris including black oily stained layered cardboard, paint pigments, burlap cloth and a yellow sludge-like substance. Wet. \}. The average thickness of the waste found at the landfill sites (G, H/I) ranges 15-25 feet thick.

Samples were collected from the wastes encountered during the drilling. Samples were also collected from the surface soil/sediments and monitor wells after proper development. The following pages summarize the maximum soil/sediment and groundwater concentrations of the contaminants found at the Area #1 Sites. Most of the Dead Creek samples were collected from the northern segments (CS A, B and C) with only a few samples taken in CS D and none collected from CS E or F.

Table 2-4

0.7 11.628 0.4 12.286 	J 0.192 J 0.012 0.01 61.29 7.842 5.645 76.45 J E 451.613 12.788 23.63	J 1.692 J 3.81 24.13 J 4.158 5.265 77.91 E 126.9 15.07 19.18	4.2 0.17 27 0.04 0.67	10 J 0.82	
11.628 0.4 12.286 3.846 45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	0.192 J 0.012 0.01 61.29 7.842 5.645 76.45 J E 451.613 12.788 23.63	J 3.81 24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	4.2 0.17 27	J 0.82	
0.4 12.286 3.846 45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	J 0.012 0.01 61.29 7.842 5.645 76.45 J E 451.613 12.788 23.63	J 3.81 24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	0.17 27 0.04	J 0.82	
12.286 3.846 45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	0.01 61.29 7.842 5.645 76.45 J —— E 451.613 12.788 23.63	J 3.81 24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	0.17 27 0.04	J 0.82	
3.846 45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	61.29 7.842 5.645 76.45 J —— E 451.613 12.788 23.63	J 3.81 24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	0.17 27 0.04	J 0.82	
3.846 45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	61.29 7.842 5.645 76.45 J —— E 451.613 12.788 23.63	J 3.81 24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	0.17 27 0.04	J 0.82	
45.3 6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	61.29 7.842 5.645 76.45 J —— E 451.613 12.788 23.63	24.13 J 4.158 5.265 77.91 —— E 126.9 15.07	0.17 27 0.04	J 0.82	
6 58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	7.842 5.645 76.45 J —— E 451.613 12.788 23.63	J 4.158 5.265 77.91 E 126.9 15.07	0.17 27 0.04	J 0.82	
58.571 117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	5.645 76.45 J E 451.613 12.788 23.63	5.265 77.91 E 126.9 15.07	27 0.04	J 0.82	
117.647 0.581 538.462 16.923 41.538 177.8 8.8 240	76.45 J E 451.613 12.788 23.63	77.91 E 126.9 15.07	0.04	J 0.82	
0.581 538.462 16.923 41.538 177.8 8.8 240	J E 451.613 12.788 23.63	E 126.9 15.07	0.04	J 0.82	
0.581 538.462 16.923 41.538 177.8 8.8 240	J E 451.613 12.788 23.63	E 126.9 15.07	0.04	J 0.82	
538.462 16.923 41.538 177.8 8.8 240	E 451.613 12.788 23.63	15.07		J 0.82	
16.923 41.538 177.8 8.8 240	12.788 23.63	15.07		J 0.82	
41.538 177.8 8.8 240	23.63	医髓上腺 经正数价格价值 经收益			
177.8 8.8 240		19.16	U.D/		
8.8 240	0.4		,	J	
8.8 240	0.4	DOMESTIC SPECIAL PROPERTY.			
240		J 27	J 1.5	J	
Principle of the Control of the Cont			2.2		
	J 240	J 70			
22000	31000	E 1800		40	
	19000	E 140		26	
			1.1	J	
141.1	J 741.9				
120	J 7800	8300	E	14	
5400	2300	CARLO OF THE STATE	0.53	J 3.3	
37	J 350	170		7 80	
aration and a con-	the second of th		usana seriet Milia ——		
ARREST TO A STATE OF THE STATE	. 012.8				
		erst Buskers Titt. Os -	AGGERTAL STATE		
	- 100 BARGON 97		gerts in tell		
0.9	T 1	a presentant rate sales a	Missa Witt.		
	and the second s	35 an enggan terberakan		5.2	
	1800		dags bliv m.= 11.		
a a a		100	J		
		and the control of th		·	
4800		190	58		
51	J 2100	100	1.8	J 12	
	680	200		2.5	
45	1330	200	0.45	21	
85	660	49	J	23	
		and the second second second	0.91	J 9,4	
39	J	2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -			
10		er est. Se stini ^{re}	- Yi		
experience and experience of			pagament = = = = = = = = = = = = = = = = = = =		
	J 2/0		86 - British		
and a service of the					
1.5	J			6	
0.3	0.78			·	
	0.43	30			
	0.92	4.3			
		490			
27300	C	. e		210	
the second of the second	the state of the s	340	J		
2.300			•	16	
30	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Branda (1971 & Authorist)	175	100	_
AND	the control of the state of the con-	tree and the second			•
and the second second					
45.45	The second of the second of				
89	The second of th	The state of the s	9	20.6	
5500	2444	630	141	21000	
18400	1150	* 23330	106	1910	
34,3	3.9	3.2	0.1	·	-
382	15097			2490	
the control of the control of	and the control of the second of the				_
		553	25	977	
	and the second of the second o				
	120 5400 37 0.49 220 1000 0.9 4800 51 45 85 39 10 22 5.2 5.4 1.5 0.3 27300 29000 21000 39 169000 46 985 89 5500 18400 34.3	120	120 J 7800 8300 5400 2300 510 37 J 350 170 0.49 612.9 220 1000 0.9 J 600 5.6 480 35 1800 190 51 J 2100 100 680 200 45 1330 200 85 660 49 32 10 22 J 270 2.5 5.2 5.4 1.5 J 0.43 30 27300 C 29000 C 21000 C 18000 340 39 388 R 14 169000 3242 3603 46 294 13 985 105 1400 5500 2444 630	120	120 J 7600 8300 E 14 5400 2300 510 0.53 J 3.3 37 J 350 170 1.1 J 6.9 0.49 612.9 1000 1000 0.9 J 600 5.6 480 35 5.2 1800 1300 1300 1300 1.8 J 12 680 200 2.5 445 1330 200 0.45 21 85 660 49 J 23 6.7 0.91 J 9.4 39 J 32 J 15 10 3.7 15 5.4 3.7 5.4 3.7 5.4


BAUGET SITES AREA #1: S MAX SOIL/SED CONC AT: N	Table 2-4 (cont.)	CS C
VOLATILES (ppm)	90 A 00 U	
1,2-Dichiorpetherie(total)		
Chloroform 1,2-Dichloroethane		
2-Butanone (MEK)	= 14	2006 (4) (POSSERIE LE PER 1917 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
t,1,1-Trichloroethene		
Trichloroethene		
4-Methyl-2-Pentanone 0.004	J —— 0.22	**************************************
Tetrachlorgethene		Baftha l - Lati
Toluene 1,1,2,2-Tetrachloroethane	—— 0.81 	
Chlorobenzene	0.048 J 5.2	fatheren 의생조구(a.n.s) 프로
Ethylbenzene	3.6	
Xylene(total) SEMIVOLATILES (ppm)	0.9 9	
Phenol		O.58 J
2-Chlorophenol		
1,3-Dichlorobenzene	0.55 J	0.11 J
1,4-Dichlorobenzene	2.9 220 0.48 17	0.69 J
Methylphenol		
2,4-Dichlorophenol		
1,2,4-Trichlorobenzene Naphthalene	1.5 J 5.4 0.13 J 9.5	J 0.26 J
4-Chloroaniline	1 J	
2-Methylnaphthalene	0.45 J 8.4	J 0.1 J
2,4,5-Trichlorophenol 2-Nitroaniline		
4-Nitrophenol		J
Dibenzofuran		
Fluorene 4-Nitroaniline		J 0.37 J
N-Nitrosodiphenylamine	0.22 J	
Hexachlorobenzene	11. 11. 11. 11. 11. 11. 11. 11. 11. 11.	
Pentachiorophenol Phenanthrene 0.43	0.8 J 0.945 0.19 J 15	—— 2006-20 58-2 -2-31
Anthracene	0.19 July 15	リーグ81 リ 0.5 J
Fluoranthene 0.68	0.6 J 11	J 4.8
Pyrene 0.55	1.4 J 13	J 4.5
Benzo(a)anthracens 0.26 Chrysene 0.28	J 1.7 J 1.2	J 3.3 J 4.4
Benzo(b)fluoranthene 0.29	John Same	J 7.5
Benzo(k)fluoranthene	1.5	J 0.92
Benzo(a)pyrene 0.21 Indeno(1,2,3-cd)pyrene	J 0,54 J 1.8 0.57 J 1.4	4.5 J 4.3
Dibenz(a,h)anthracene	0.96 J 1.8	
Benzo(g,h,i)perylene	 0.39	J 1.5
PESTICIDES/PCB'S (ppm) 4,4'-DDE	- (* - ^ 11 : 5.5 왕인(요) '대한(왕 112 전 11 11 11 11 11 11 11 11 11 11 11 11 1	
4,4'-DDD		dia dia 122.22 mendia 12.15 dia 12.25 — —
4,4'-DDT		
Toxaphene Aroclor-1242:		
Arodor – 1248 – –	21 C 480	C 8.7
Arodor-1254	71 C 141	C 11
Arodor – 1260 – – INORGANICS (ppm)	24 C 66	C 7.8 J
Arsenic Sppm)	* 76 R 21	33 F
Barium 130	732 17300	1700
Cadmium	31 36	42 80
Chromium 8 Cobalt	206 153 27 11	68 10
Copper 10	11400 * 15300	* 6640 *
Load 34	2030 1460	975
Mercury 9 Nickelesses Services Services 11	* 5.62 1.68 765 R* 1520	2.81 R 1290 F
Selenium	3.3 4.1	2,5
Vanadium	25 48	38.11
Zinc 65	3420 11900	15600


UGET SITES AREA #1: SITES (AXIMUM GROUNDWATER CONC	AT: G	Table 2-5		W
OLATILES (ppb)	_	•	-	
Vinyl Chloride		790		
1,2-Dichloroethene(total)	110	640		
1,1 - Dichloroethene	00000 0000	10		
Carbon Disulfide			Andrew Co.	3
Chloroform		3000 110	J 730	2
1,1 - Dichloroethane		→		
1.2 - Dichloroethane 2 - Butanone (MEK)	480 560			
1.1.1 - Trichloroethane	300 310 31 1 311 311 311 311 311 311 311 311 311 311 311 311 311 311 311 311 3			
Trichloroethene	800	 270		- -
Benzens	4100	4300 1400	150	
4-Methyl-2-Pentanone	2200	3600 230	J 270 B	
Tetrachioroethene	420	47 0	**************************************	
Taluene	7300	7300 740	790 B	1
1,1,2,2-Tetrachioroethane			9#### 	
Chlorobenzene	3100	11000 3100		
Ethylbenzene	840	210 190	The state of the first of the state of the s	4
Styrene	ee ee. On a saturd on the company of a saturd of the company of the company of the company of the company of the comp			2
Xylene(total)	400	120 J 58		
EMIVOLATILES (ppb) Phenol	30000	1800	150	
2-Chlorophenol	1900	-~ 37 0	150	
1.3-Dichiorobenzana		110		
1.4 - Dichlorobenzene	570	91 0	natitivisarus su ser si il fuestioni di 	
1,2-Dichlorobenzene	200	J 220	ol i la :	
Benzyl alcohol	8600	350		
Methylphenol	~~~		;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	
2 - Methylphenol	810	 76	6 J ·	
4-Methylphenol	9005	350	75 .	
N-nitroso-di-n-propylamine		800		
2,4-Dimethylphenol	4300			
Benzoic Acid	A CONTRACTOR OF THE PROPERTY OF THE PARTY OF		Oddowydd a tar o'i ar ac yn a faeth y chaffer a chaffer a cynnaeth a chaffer a chaffer a chaffer a chaffer a c	
Bis(2-chloroethoxy)methane	7300 480	2900		
2,4 – Dichlorophenol 1,2,4 – Trichlorobenzene	1900	J 1000 2700		
Naphthalene	18000	 230		T
4-Chloroeniline		30 15000	£ 60	
4-chloro-3-methylphenol	e di circina di Maria di Cara	140	J	
2-Methylnaphthalene			: J ill	
2,4,6-Trichlorophenol	350	290		
Dimethylphthalate				
Dibenzofuran		6 , J		
Diethylphthalate		22 J +-		
4-Chlorophenyl-phenylether	· Laster to the	20 J	—————————————————————————————————————	
Fluorene		25 J		
N-Nitrosodiphenylamine Pentachiorophenol	6300	800 2400 650	—— Santana karangan da karangan da karan	
Phenanthrene		15 J		
Benzo(a)anthracene	32			
Chrysene	8			
Bis (2-ethylhexyl)phthalate	24	24		ا المالي
Di -n-octyl phthalate			enderlande bet en transport in der 12 bet en	4
STICIDES/PCB'S (ppb)				
Alpha BHC	70	C		
Aroclor - 1260	890			
ORGANICS (ppb)	eriore de la	r 🚅 🚅 🚅 🚅 Arti ir killi. In such mein deutst deutst ombeld is sinte	composition and appearance and the co-	
Aluminum	85	11800		
Arsenic	178	8490 20		26 ~~
Barium Cadmium	610 ——	173 958	32	292
Chromium	to Fill and 41 1. These s	758	3 2 ************************************	
Cobalt	588		84	antakara ⊸−
Copper		2410	CONTRACTOR OF THE PERSON OF TH	15
Lead			ra da kada na 14.777 na 18.182 na misika di ➡ ➡	193 ♥ (1.4.12.12.14.1 ->
Mercury	2.1			0.2
Nickel	349	17200 9 5	111	~:=:::::::::::::::::::::::::::::::::::
Selenium				
Vanadium	**		159	
Zinc	129	8864 26	2210	
Cyanide	157	480		

Cyanide 157 480 -- -- -- Site M groundwater samples were collected from nearby private wells.

Table 2-4 and Table 2-5 Qualifiers: J-estimated value; E-value exceeded calibration range; C-value confirmed by GC/MS; R-rejected data; *-duplicate analysis not w/in control limits.

The air samples were collected by IEPA's contractor over a 2-day period. On July 16 and 17, 1987, air monitors were placed at six locations around Sites G and CS B. The analysis of these samples revealed the presence of organic contaminants during each day of sampling. The first day of sampling documented a release of PCB's, naphthalene, 2-nitroaniline, fluorene and pyrene. Only PCB's were detected on the second day. PCB's were found in all but two of the samples (the background and the sample across Queeny Avenue). The following maps and table from the report, summarizes this data.





2-17
CERCLA Screening Site Inspection: Sauget Sites Area #1

١.

	ģ		•	'
	DC09	SLIB	1	ļ
ber	DC-08	8113 8178 8L18	}	!
Sample Number	DC-07*	17.70	ł	i
S	∳90-⊃0	15JB 118JB	0.20	
	-02 DC-03 DC-04 DC-05 DC-06+ DC-07* DC-08 DC-09 DC-	75.38	i	F40 0 +00 0 +10 0 ,100 0 100
	DC-04	ž	1	•
	DC-03	803B 633B	i	
	-02	30.3B	!	

Compound	DC-01+ DC-02	DC-03	DC-03	DC-04	DC-05	}90-20	DC-07*	DC-08	DC-09	DC-10+	DC-03 DC-04 DC-05 DC-06+ DC-07* DC-08 DC-09 DC-10+ DC-11+ DC-12 DC-13 DC-14*	DC-12	DC-13	DC-14
henene	7438	8038	63.38	4 Z	75.38	11838	17.78	8179	8118	6630	10138	70.38	Z Z	1538
	0.12	{	i	1	1	0.20	;	}	1	{	1	!	1	ł
	0.083	0.073	0.083	0.043	0.023	0.083	i	}	ł	1	1	1	1	1
2-methylpachthalane	\	{	0.033	1	0.023	0.023	1	}	ł	1	;	1	1	ł
	1	1	{	1	0.02JB		ł	;	}	{	I	!	;	1
n-nitrosodiohenylesine	ł	ţ	1	0.023	0.023		1	1	ł	{	!	ł	;	1
	;	{	0.023	}	1	0.023	1	ļ	ł	{	1	1	!	ł
2	ł	1	;	0.44	1	1	}	;	}	;	!	ļ	1	ł
benevi alcohol	ţ		1	ļ	{	0.053	!	}	l	1	{	{	}	1
	;	1	ł	1	1	0.013	;	1	1	:	{	1	}	1
	!	{	ł	1	ł	0.023	!	}	ł	1		ł	}	1
pyrene	-	1	ļ	0.15	1	0.12	1	0.04	1	97.0	0.30	1	0.15	i
Arocior 1748	;				ł	ł	1	}	1	f	ł	1	0.14	1
Aroclor 1254	!	1	ł				ļ		ł	1	{	{	0.17	ł
Aroclor 1260	}	{	1	0.10	ļ	:	ł	}				ļ		1
Chronium	ł	1	ł	;	1	0.08	;	!	ŀ	{	•	ł	1	ŀ
	0.94	0.67	99.0	0.71	0.35	0.73	1	0.87	0.78	0.62	9.76	0.38	0.67	ł
	0	60.0	0.09	0.00	0.08	0.08	ł	6.17	0.64	95.0	19.0	0.04	0.04	1
	0.20	0,32	0.31	0.13	0.13	0.18	1	95.0	1.43	0.28	0.92	0.08	0.11	1
) 									!					

All results in ug/m.

Samples DC-01 through DC-07 collected 7/16/87. Samples DC-08 through DC-14 collected 7/17/87.

Source: Ecology and Environment, Inc. 1988.

Table 2-6
Air Sample Results from Site G and CS B

Blank samples - results reported in ug per sample medium (filter, cartridge). Duplicate (collocated) samples.

Indicates estimated value. Result is less than the specified detection limit, but greater than zero. Compound also found in blank sample.

Not analyzed.

Not detected.

Mississippi River fish have also been studied downstream of the Sites. In a 1982 US Food and Drug Administration (FDA) study, 7 fish specimens caught near or below St. Louis were found to contain up to 1 part per million (ppm) chloronitrobenzenes. The specific residues found included 2-, 3- and 4-chloronitrobenzene and 2,3- and 3,4-dichloronitrobenzene.

In 1990, two fish specimens were collected adjacent to Sauget by the Illinois Department of Conservation for USEPA. The results of this study show that dioxin and furan isomers have bioaccumulated in the fish tissues at a total effective concentration (TEC) of 10.88 and 8.18 picograms per gram (pg/g). The levels are well above the nearest upstream (Illinois side) sample location where the TEC level was 1.73 pg/g in a comparative fish caught at Quincy, Illinois. The nearest upstream locations (West Alton, Missouri fish with TEC's of 7.99 and 0.50) are not considered comparative due to the confluence action of the Missouri and Mississippi Rivers.

2.5 APPLICATION OF OTHER STATUTES

None of the Area #1 Sites have been regulated as RCRA units because most of the waste disposal occurred previous to environmental regulations.

3. SITE INSPECTION PROCEDURES AND FIELD OBSERVATIONS

3.1 INTRODUCTION

This section outlines procedures utilized and observations made during the CERCLA SSI, conducted at Sauget Sites Area #1. Specific portions of this section contain information pertaining to the reconnaissance inspection, field sampling procedures and key analytical results. The SSI for the Area #1 Sites was conducted in accordance with the work plan which was developed and submitted to USEPA Region V, prior to the initiation of field activities.

USEPA's Potential Hazardous Waste Site Inspection Report (Form 2070-13) for each of the Sites is located in Appendix C of this report.

3.2 SITE REPRESENTATIVE INTERVIEWS

The site representative interview was conducted on March 13, 1991 between IEPA's team of Tim Murphy, Paul Takacs, Mara McGinnis and the Village of Cahokia's Mayor Mike King. The purpose of the meeting was to gain access agreements and gather additional information on Dead Creek as it flows through Cahokia. Other spontaneous interviews took place during the SSI sampling with local residents living along the creek.

3.3 RECONNAISSANCE INSPECTION

The Area #1 CERCLA site reconnaissance inspection was conducted after the March 13, 1992 interview by this author and the other IEPA officials. The major focus of the

reconnaissance inspection was the potential targets impacted by Dead Creek south of Judith Lane (CS C-F). Some of the homeowners living along-side Dead Creek, mow and maintain the creek bed. Other residents are not as caring. Certain areas of Dead Creek were littered with trash and small oil-like sheens were noted in CS C and D. Most of Dead Creek appeared to be a wetland. Figure 3-1 on page 3-3 of this report, shows the Area #1 sources of contamination with relation to Dead Creek as it flows through Cahokia.

After the reconnaissance, the IEPA officials stopped into the East Side Health District in Washington Park. Ema Locket provided seven sample data forms from Cahokia residents concerned with safe drinking water from their private wells. The sample forms have been included as Appendix J of this report.


During the reconnaissance visit, it was determined that Modified Level D inspection attire could be worn during the sampling activities. Level C (air purifying respirator) equipment would also be brought along for use if air monitoring equipment detected significant concentrations over background or if other threatening conditions ensue.

3.4 SAMPLING PROCEDURES

Samples were collected by IEPA personnel throughout the downstream segments of Dead Creek which were not previously sampled. Samples were also collected from private wells and yards of Cahokia residents closest to the Area #1 Sites.

Each of the samples were analyzed for compounds and analytes

Figure 3-1 Site Features



from USEPA's Target Compound List (TCL). The current list of compounds on the TCL is provided in Appendix D.

On March 27 and 28, 1991, IEPA collected five groundwater samples and thirteen soil/sediment samples. Figure 3-2 on page 3-6 of the report depicts the locations of the eighteen sample points.

3.5 GROUNDWATER SAMPLING PROCEDURES

ř

Four private wells close to the Sites were sampled to determine if documented contaminants in Area #1 groundwater were effecting these sources of drinking water. A private well south of Parks College was sampled as a representation of existing background conditions. Each well was purged through a hose but sampled at the spigot. The wells were purged for a minimum of 20 minutes before directly filling each of the eleven sample containers. Preservatives were then added to the appropriate inorganic containers. The following table lists each of the private well locations.

Table 3-1
Groundwater Sample Descriptions

Sample	<u>Owner</u>	Well <u>Depth</u>	Address	Nearest Site/ Distance
G201	B. Settle	26'	102 Judith Ln	CS C/250' W
G202	W. Schmidt	49 '	104 Judith Ln	CS C/350, W
G203	J. Ballett	~20'	3300 Falling Springs Rd	Site M/1000' W
G204*	H.E. Kearby	30'	144 St. James St	CS E/1800' NW
G205	W. Allen	17'	101 Walnut St	Site M/15' W

E-east, N-north, W-west, S-south, Ave-avenue, St.-Saint, St-Street, Rd-Road, -approximately, '-feet, *-background

3.6 SOIL/SEDIMENT SAMPLING PROCEDURES

IEPA collected four soil samples from private yards, seven samples from Dead Creek and two samples from the Old Prairie Dupont Creek (which Dead Creek flows into) for a total of thirteen soil samples (see Figure 3-2 for locations). Two of the thirteen samples were collected as background representatives. The background sediment sample was collected in the Old Prairie Dupont Creek, 200 feet upstream of the Dead Creek confluence. The background soil sample and the background groundwater sample were collected from the same yard. Table 3-1 describes each of the thirteen soil and sediment samples, listing their depth, physical appearance and location.




Figure 3-2 Soil/Groundwater Sample Location Map

Table 3-2
Soil Sample Descriptions

			·
<u>Sample</u>	<u>Depth</u>	Appearance	Location
X101	0-6"	brn/org	Vernon Shepard property, 25 David St. next to fence on the N side of yard
X102	0-6"	blk/org	William Schmidt property, 104 Judith Ln. S central portion of yard
X103	0-6"	brn/org	John Ballett property, 3300 Falling Springs Rd. NW corner of front yard
X104* soil	0-6"	brn sand loam	H.E. Kearby property, 144 St. James St. SE central side of back yard
X106	0-1.5' 3'H2O	silty sed	center of Dead Creek behind the Repair Garage on Jerome St.
X107	0-1.5' 2'H2O	silty sed	center of Dead Creek behind the residence at 3809 White St. perpendicular to the center of the home
X108	1-2' 1'H2O	silty sed	Dead Creek at the S end of the culvert by the VFW Hall
X109	0-1' 6"H2O	sandy sed	<pre>center of Dead Creek at the Parks College/trailer park property line</pre>
X110	0-1' 4"H2O	sandy sed	center of Dead Creek 5' from the N end of the culvert at Parks College
X111	0-1.5' 1'H20	brn silt to sand	center of Dead Creek in wetlands adjacent to N power line pole base
X112* sedi- ment	0-1.5' 2'H2O	silty clay	N bank of Old Prairie Dupont Creek 200' upstream of the Dead Creek con- fluence
X113	0-2.5' 1.5'H2O	blk sludgy sed	center of Dead Creek at confluence of Old Prairie Dupont Creek
X114	0-2' 3'H2O	clay silt	W bank of Old Prairie Dupont Creek approx. 1200' downstream of Dead Creek confluence

brn-brown, blk-black, org-organic, '-feet, "-inches, H2O-water, N-north S-south, E-east, W-west, rd-road, *-background samples.

3.7 DECONTAMINATION PROCEDURES

Standard IEPA decontamination procedures were followed prior to the collection of all samples. All sampling equipment had previously been decontaminated at the IEPA warehouse prior to its transport to the site.

Decontamination procedures include the cleaning of all sampling equipment with a liquid Alconox solution, rinsing with hot tap water, spraying with an acetone/distilled water mix, and finally rinsing with double distilled, deionized water. The sampling equipment was air dried and wrapped with aluminum foil for its use in the field sampling activities.

3.8 ANALYTICAL RESULTS FROM IEPA COLLECTED SAMPLES

Chemical analysis of groundwater samples collected from the private wells revealed the presence of certain inorganic analytes, and several volatile organic compounds. Analysis of soil/sediment samples collected in the lower creek segments revealed the presence of volatiles, semi-volatiles, pesticides, PCB's, heavy metals, common laboratory artifacts, and common soil/sediment constituents. Significant concentrations of organic compounds were detected in certain sediment samples within Dead Creek.

3.9 KEY SAMPLE RESULTS

The key analytical results of the Sauget Sites Area #1 CERCLA Screening Site Inspection are tabled on the following page. The key samples list only the analytically significant compounds and analytes based on USEPA draft guidance on the use of estimated data.

Table 3-3
KEY SAMPLE DATA SUMMARY

	Bg. GW		_ DATA OOMI	Bg. Soil			
SAMPLING POINT	G204	G201	G205	X1 04	X101	X102	X103
	H.Kearby	B.Settle	W.Allen	H.Kearby	V.Shepard	W.Schmidt	J.Ballett
LOCATION	30'@ 144	26'@ 102	17'@ 101	SE Yd @ 144	N Yd @ 25	S Yd @ 104	NW @ 3300
	St. James St.	Judith Ln.	Walnut St.	St. James St.	David St.	Judith Ln.	F.Springs Rd.
PARAMETER	,						
VOLATILES ppb					Annama and a company of the control	de la por congego copata poda la Judicia con tela	
Chlorobenzene							
SEMIVOLATILES ppb							sociococcoccie tautoc i ni sociococci Ministrato
Pyrene							
Benzo(b)fluoranthene						— —	
Chrysene							
PESTICIDES/PCB's ppb			na na nataona na manana na n				econocidado como contrato de calendo actor actualmente.
4,4'DDE				 -		•••	
Endrin							
Endosulfan II							
gamma-Chlorodane			5.02	200	706		
Aroclor=1254							
Aroclor-1260	+++ 448						
INORGANICS water-ppt)						
soil/sed-ppm							
Arsenic							
Barium							
Cadmium				0.8 E	4,9		B,5
Calcium			11900				
Chromium				19.5	31.9	26.6	38.7
Cobalt		6.2		-			
Copper			75	18.7	110	125	167
Lead	3,3		11	51		276	202
Magnesium							
Mercury				***	0.07	0.07	0.2
Nickel							
Zinc	38	580	658	161	575		738

Table 3-3 (cont)
KEY SAMPLE DATA SUMMARY

				L DATA SUMI			
SAMPLING POINT	Bg. Sed. X112	X106	X107	X108	X109	X110	X111
	OPDupont	CS D	CS E	CS E	CS E	CSE	CS F
LOCATION	Up 200'	Garage	Res 3809	Culvert	Border	Culvert	Wetland
	Confluence	Jerome St	White St	VFW	Parks C.	Parks C.	Pow. Line
PARAMETER							
VOLATILES ppb			MARKET TOO TO KNOW JOS NO NOV NO NOV.			The second secon	NOTE TO THE TOWN THE ALL IN SOME COMMON AS IN THE
Chlorobenzene			120				
SEMIVOLATILES ppb							
Pyrene			5300				
Benzo(b)fluoranthene	- -		2400				
Chrysene			2800				
PESTICIDES/PCB's ppb				and an account of the control of the		an ann ann ann ann ann ann ann ann ann	
4.45 DDE							97
Endrin		151	975				66
Endosulfan II		210					203
gamma-Chlorodane							
Aroclor-1254		6955	45653				4486
Aroclor-1260			14273				862
INORGANICS water-ppb							
soil/sed-ppm							
Arsenic	2.2 B J	11.2	30.3	10.1	12,2	11.3	19.5]
Barium	135		3690				
Cadmium		3.9	23,1	21.9	11.8	1.9	23.5
Calcium	3650	22200	83400	66200	- -	55300	
Chromium	20.2		105				·
Cobalt							18.8
Copper	10.4	149	8540	1160	404	108	520
Lead	7.7	209	1270	235	140	440	83
Magnesium	2390		7890	7750			
Mercury		0.2	1.53	1.27	0.62	0.32	0.34
Nickel	14	78.5	2130	134	391	56	772
Zinc	44.7	704	9970	1740	3140	382	4520

Qualifiers: J-estimated value; B-value reported is < CRDL but > IDL.

4. SOURCES OF CONTAMINATION

4.1 INTRODUCTION


This section discusses the sources of contamination identified at Sauget Sites Area #1. Information concerning the size and volume of each source has been derived from the E&E investigation financed by IEPA.

4.2 SITE G

Site G is a 4.5 acre disposal area littered with drums (approximately 30), demolition debris and junk. It is located in Sauget, south of Queeny Avenue and east of Dead Creek. South of Site G, there is a cultivated field, while Wiese Engineering is west of the site. Within the western portion of the fenced site, there is a mounded area where several corroded drums are jutting from the surface. Two small pits with oily/tar-like waste are in the northeast and east-central portions of the site. Some areas where the waste is not exposed, cinder material and fly ash have been used as cover.

Boring logs at Site G reveal 3 to 12 feet of fill material overlying 15 to 25 feet of waste. The maximum depth of waste was found to be 36 feet. Below the waste, is extensively stained sand associated with the lower Cahokia Alluvium or the upper Henry Formation.

Analytical results from surface soil samples collected from 32 grid sections in the central portion of Site G show an average total organic concentration of 5,096 mg/kg. Using the top six inches of soil, a volume of 1,489 cubic yards of



SCALE SOOFEET

Figure 4-1 Site G and Northern CS B

waste and fill material has been calculated.

Based on the depths and thickness of the waste along with the horizontal distances between the borings, a total volume of approximately 60,000 cubic yards of contaminated waste and fill material is present in the subsurface of Site G. The average total organic concentration of this material is 4,406 mg/kg based on three samples from the waste zone. The volume calculation does not include the contaminant concentration of the stained sand below the waste.

4.2 SITES H & I

Sites I and H are known collectively as the Sauget-Monsanto Landfill. The sources are connected at "old" Queeny Avenue and are approximately 26 acres in size. The inactive landfills are located along Falling Springs Road, north and south of Queeny Avenue in Sauget. The site is delineated by Falling Springs Road on the east, the Alton and Southern Railroad to the north, Dead Creek Segment A and Metro Construction Company on the west. There is no boundary delineation to the south, however, the landfill extends approximately 1250 feet south of the intersection of "new" Queeny Avenue and Falling Springs Road.

Historical aerial photographs show operations existing prior to 1936. Title information shows Leo Sauget as principal owner from late 1931 and alledgedly the operator. Previous to it's use as landfills, the site was a series of sand and gravel pits. According to two "Notification of

Site ŗ, Figure 4-2 H and Northern CS W

SOOFEET

4-4 CERCLA Screening Site Inspection: Sauget Sites Area #1

Hazardous Waste Site" forms (103[c]) submitted by the Monsanto Company to the USEPA, the site accepted chemical wastes from the company's Queeny and Krummrich plants in St. Louis and Sauget, respectively. Aerial photographs also show landfilling activity decreasing by the late 1950's, consistant with Monsanto's 103(c) submittal.

Site H has been graded and is sparsely vegetated.

Several depressed areas are evident across the site. Surface drainage is toward the west, Dead Creek. Other than slag, waste material is not present on the surface of the site.

However, there are several rusted-out drums that are present on the surface. There are no barriers present to control access to the site.

At Site H, 2.5 to 13 feet of the fill material is described in the eight borings taken across the site. The differences in the fill thickness suggest the entire site has been reworked as a result of the activities related to the disposal pit. The waste materials found in six of the eight borings consisted of multi-colored sludges, solids and oily refuse underlying the fill. The waste is 20 feet at its thickest in the central portion of the site. Below the disposal pit waste, there is staining to the Cahokia and Henry formation sands. Waste materials are below the water table which averages 10 feet below the ground surface.

Site I has been graded, covered with rock, and is used by its current owner, Cerro Copper Products, to park trailers and machinery. Access to Site I is barred by an eight foot

chain-link security fence and is monitored by cameras at all times. Access to the site is through Cerro Copper.

The eleven borings at Site I identified two disposal pits. The largest of the two pits is located south of the access road from the Cerro Copper Products plant road (the old Queeny Avenue). This pit was connected with the Site H until the new Queeny Avenue was built. The smaller pit is located north of the access road. Both pits are at least 23 to 25 feet deep. Fill material ranges from 3 feet outside the disposal pit areas to 13 feet covering both pits. The waste materials found below the fill consisted of oily sand, clay, wood and cinders mixed with occasional refuse such as cardboard, rubber and cloth. Each of the pits contained a sludge-like material and staining to the Cahokia Alluvium deposits below the waste. Waste materials are below the water table that averages 10 feet below the ground surface.

Based on the depth and thickness of the waste material together with the distance between the boring locations across Sites I and H, a total volume of 200,000 cubic yards of contaminated waste and fill material is found in the south pit while the smaller pit has a total volume of 50,000 cubic yards. Based on the analytical results of the samples collected from the waste zone of the south pit, the average total organic contamination concentration of the material is 12,218 mg/kg. In the north pit, the average total organic contamination concentration of the waste material is 6,300 mg/kg.

4.4 Site L

Site L is the former location of two surface impoundments used by Waggoner Trucking and later, Ruan Trucking. The hazardous waste transporters used the impoundments were used to dispose of wash water from truck cleaning operations by the hazardous waste transporters. The main impoundment was located 125 feet east of CS B and about 250 south of the Metro Construction Building. Historical photographs show dimensions of filled-in lagoon to be 150 feet by 70 feet. The site is now covered by black cinders and used by Metro Construction Company for equipment storage.

The second impoundment was identified in a historic air photograph. This impoundment was located farther east of the main lagoon and CS B. This impoundment has not been investigated.

IEPA calculated a rough estimate of the quantity of wash water disposed of at Site L between 1971 and 1978. The estimate of 164,000 gallons is based on the assumption that Ruan Trucking operated at the same volume as Waggoner Trucking (not HRS usable).

The four E&E borings determined that the impoundment had a depth of approximately 8 feet, was not lined and had a base of medium to coarse grained sands. The subsurface soil samples collected from Site L showed a total organic concentration range from 0.008 mg/kg to 120 mg/kg.

Contaminants included benzene, toluene, phenols and arsenic.

In 1991, Monsanto Company contracted Geraghty & Miller

Environmental Services (G&M) to further investigate Sites L, M and CS B. G&M determined the dimensions at Site L to be slightly smaller than previously thought. The back-filled impoundment was 165 feet by 35 feet (7,600 square feet). G&M soil samples at Site L where more polluted then the E&E collected samples. The G&M analysis showed a greater concentrations of contaminants as well as previously undetected contaminants, including PCB's at 500 mg/kg in one sample. The Expanded Site Inspection for Sauget Sites Area #1 details the validated analytical findings of the G&M report.

4.5 Site_M

Site M is a sand pit excavated by H.H Hall Construction Company in the mid to late 1940's. The pit is located on the east side of Dead Creek at the end of Walnut Street in Cahokia. The sand pit was mined prior to the residential development along Walnut Street. The dimensions of the pit are 220 feet by 320 feet (59,200 square feet). The water in the pit is up to 14 feet deep. Water can flow into or out of the pit through an eight foot opening which connects CS B with Site M. Presently Site M and CS B are surrounded by a chain-link fence. The current owner of Site M is Cahokia resident, Mr. Thomas Owen.

G&M results of Site M showed that approximately 3600 cubic yards of sediment have been impacted by PCB's (PCB's found above 50 mg/kg).




Figure 4-3
Site M, Southern CS B and Northern CS C

<u>4.6 Site N</u>

Site N consists of a filled barrow pit in the H.H. Hall Construction Company yard. The filled pit encompasses four to five acres in the southwest corner of the 23 acre yard. The site is located next to Dead Creek in a residential and commercial neighborhood of Cahokia. currently, Site N is filled and covered with rubble. Access to the entire construction yard is restricted by a chain-like fence.

Historical photographs indicated that the excavation at Site N began in the 1940's. The 1950 photographs show the presence of water in the pit. According to company officials, only concrete rubble and demolition debris were dumped into the pit.

E&E found no waste materials in either of the two borings at Site N. However, black and reddish-brown staining was noted on silt and sand samples from six to ten feet in one boring. The borings showed that the pit had been filled with concrete, rubber and demolition debris. Three to ten feet of this fill material was found overlying interbedded silty sand, sandy silt and fine sand typical of the Cahokia Alluvium.

Composite soil samples collected from the each of the two borings showed organic contamination of polyaromatic hydrocarbons (PAH's) with a total organic concentration of 3.6 mg/kg.





Figure 4-4 Site N and CS C

4.7 Dead Creek Segment A

The headwaters of Dead Creek are dubbed CS A. CS A is located just west of Site I on Cerro Copper property. The 1700 foot segment consisted of two holding ponds that were created when the Queeny Ave culvert was blocked off. In 1990, Cerro Copper remediated CS A, when 27,500 tons of contaminated sediments were removed to RCRA and TSCA regulated facilities.

During the remedial investigation, geologic profiles of CS A were obtained. The profiles were described as fill and fluidized creek bottom sediments. The fill material was tan to black, stained dry, sandy silt to silty sand, intermixed with concrete, bricks, road aggregate, rags, slag and vetreous pellets. It was often characterized by a chemical odor. The fill material varied from one to 15 feet thick depending on the location along the creek bank. The fluidized creek bottom sediments were brown to yellowish brown, black, mottled, wet, fluidized silt which contained organic matter and exhibited a chemical odor. The fluidized creek sediments ranged from one-half to 11 feet thick.

The investigation concluded that 19,500 cubic yards of contaminated sediments would need to be remediated.



4-13 CERCLA Screening Site Inspection: Sauget Sites Area #1

4.8 Dead Creek Segment B

Segment B includes the 1800 feet of creek lying between Queeny Avenue and Judith Lane in Sauget. Three other Area #1 Sites are located adjacent to CS B. Sites G, L and M have all been identified as possible sources of pollution in CS B. USEPA installed the fence around CS B and Site M in 1982. The banks of the creek are heavily vegetated and debris is scattered throughout the northern portion of CS B. CS-B belongs to the Village of Sauget.

G&M figured a volume of 3,330 cubic yards of sediment (the amount in the upper 2 feet) that have been impacted by contamination in CS B. This is the approximate amount that would need to be remediated.

4.9 Dead Creek Segments C through F

Creek segments C-F includes the entire length of Dead Creek south of Judith Lane. This portion of the creek flows south-southwest through the Village of Cahokia prior to discharging into the Prairie Dupont Creek. Dead Creek is wider in CS C-F than in the up-gradient segments. In the southern portion of CS E near Parks College, the creek temporarily passes through a corrugated pipe. Downstream of this point, the creek passes through a series of culverts prior to draining into a large wetland area west of Illinois Route 3.

The CERCLA SSI samples revealed that the down-gradient segments C-F, including the large wetland, have been impacted by the contaminants draining from the Area #1 Sites. The

lower segments of Dead Creek consist of approximately 3.4 acres (15,000 feet times 10 feet/43,560 square feet/mile).




Figure 4-6

Dead Creek Segments C through F

5. MIGRATION PATHWAYS

5.1 INTRODUCTION

This section includes information that may be useful in determining the Sauget Sites Area #1 impact on the three migration pathways (groundwater, surface water, air) and the soil exposure pathway identified in CERCLA's hazard ranking system (HRS). Based on the analytical results noted in the previous section, and findings from previous investigations, each pathway has been subject to a release from the Sites. The hazardous waste releases are threatening to effect the human health and environment in the Sauget and Cahokia area.

5.2 GROUNDWATER PATHWAY

Sauget Sites Area #1 are located in a region known as the American Bottoms. ISGS well logs indicate that the upper stratigraphy in this region consists of 70-120 feet of unconsolidated alluvium and glacial outwash overlying Mississippian aged limestone and sandstone formations (Ste. Genevieve and St. Louis Limestones). The valley fill deposits are composed of two formations, the uppermost being the Cahokia Alluvium followed by the Mackinaw Member of the Henry Formation.

The Cahokia Alluvium is composed predominantly of silt, clay and fine sand deposits. In the Sauget area, these deposits vary in thickness, with a range of 15 to 30 feet. This formation was laid down via flood events, eolian activity, bank slumping, erosion and/or slugs of material deposited directly by tributary steams. The Mississippi

River has frequently re-worked this formation in such a way that coarser material is intermingled with finer-grained deposits.

Underlying the Cahokia Alluvium is the Mackinaw Member of the Henry Formation. This formation is composed of sand and gravel from glacial outwash. In the Sauget area, this material rests directly on the bedrock surface and varies between 70 and 100 feet in thickness.

Local hydrogeologic information has been obtained through groundwater monitoring in the Sauget area. In the vicinity of the Area #1 Sites, shallow sand and gravel deposits close to the ground surface, yield significant quantities of water for nearby homes and business. Horizontal groundwater movement in the shallow deposits generally follow the land surface topography, with lateral movement toward local discharge zones (wells and small streams) and some movement into the deeper unconsolidated aquifers. Groundwater is encountered between six and 15 feet below the ground surface in area. These figures can be used for the depth to the aquifer of concern (AOC). Groundwater in the deeper unconsolidated valley fill deposits generally follows the bedrock surface. Accordingly, groundwater generally flows downstream through the sand and gravel aquifers in much the same direction as the original stream flow, but at a much slower rate.

Most area residents are supplied with drinking water by the Illinois-American Water Company (IAWC) which operates an

intake on the Mississippi River upstream of Sauget. IAWC sells the water to the various water departments and districts within the Sauget/Cahokia area. However, some area residents do obtain drinking water from shallow wells. Illinois Department of Public Health (IDPH) files and Illinois State Water Survey (ISWS) well logs indicate at least 50 area residents have wells which are used for drinking or irrigation. These wells are located in Cahokia (23), East St. Louis (5), East Carondelet (16) and Dupo (6). These numbers do not include the wells at the homes on Judith Lane in Cahokia or an unknown number of residents in the Schmids Lake area (approximately 2.3 miles southwest) that are not covered by any public water distribution. The alluvial well at PT's Show Club, which draws water from the AOC, is monitored by the IDPH as a non-community well (serving over 25 people). A 1983 report by the Southwestern Illinois Metropolitan and Regional Planning Commission (SIMRPC) listed 69 residences in Centreville Township (includes Sauget, Cahokia, Alorton and Centreville) which use private water systems. The same report lists 57 residences in East St. Louis and 365 residences in Sugarloaf Township (includes Dupo, North Dupo and East Carondelet). SIMRPC based their report on 1980 census data.

5.3 SURFACE WATER PATHWAY

Although the Area #1 Sites are located in the American Bottoms floodplain, flooding is controlled by the U.S. Army Corps of Engineers 500-year levee. All of the Area #1 sites

drain into Dead Creek which flows into Old Prairie Dupont
Creek. The probable point of entry (PPE) is defined as the
site(s) drainage point as it enters a perennial surface water
body or it's associated wetlands. In the case of the Area #1
Sites, Dead Creek has been designated a wetland throughout
it's 18,000 feet course. Therefore, Dead Creek is the PPE
for the Area #1 Sites. The Dead Creek wetland drains into
the perennial flowing, Old Prairie Dupont Creek which empties
into the Cahokia Chute of the Mississippi River. The
distance from the Dead Creek - Old Prairie Dupont Creek
confluence to the main channel of the Mississppi River (river
mile 174.2) is 1.5 miles. A 15-mile surface water map is
included in Appendix B of this report.

The average discharge of the Mississippi River, as measured over a 128 year period at St. Louis, Missouri, is 179,800 cubic feet per second. The 15-mile surface water target distance limit extends to Mississippi River mile 160.7. Within this stretch, the river is used for recreational purposes (fishing, water skiing etc.) and freight trafficking. There is an upstream surface water intake at river mile 181, which supplies most of the Illinois side area residents, was mentioned in the groundwater section. The City of St. Louis is also supplied by an upstream surface water intake, about 16 miles north at river mile 190. At downstream river mile 149 (about 24 river miles south of area), the Village of Crystal City, Missouri (population 4000) utilizes a Ranney well, adjacent to the

Mississippi River, for drinking water. A well of this kind is assumed to draw in surface water due to its construction and location to the river. On the Illinois side, the nearest downstream surface water intake is located approximately 61 miles south of the area, at river mile 110. The intake is used by the town of Chester and surrounding communities in Randolf County. According to the Illinois Department of Conservation (IDOC), the Resource Inventory for the Mississippi River at river miles 178-162 shows commercial fishing areas, sport fishing areas, important wildlife habitat and bald eagle use at selected areas in this reach.

5.4 AIR PATHWAY

Documented releases to the ambient air were observed in E&E study of the Sites. It has been estimated that about 1587 people live within a mile of the Area #1 Sites and about 174,163 people live within 4-miles, based on house counts and census data. The table on the following page shows the target distance populations. According to the Illinois Department of Commerce and Community Affairs (1988), approximately 3,200 people are employed within the Sauget Area.

5.5 SOIL EXPOSURE PATHWAY

The soil and sediment samples collected during the SSI indicate a potential for direct contact with hazardous wastes. Access remains unrestricted to the contaminants found in Dead Creek Segments C through F. Four residential properties and Parks College have ownership of Dead Creek in

CS D and CS E. There are also several residential encroachments into Dead Creek. Appendix A in the Expanded Site Inspection Report contains specific property boundary information.

Table 5-1
Target Population Calculation

Distance <u>Ring</u>	(Homes) x 2.76	Percent of <u>Village</u>	Area (mi2) x Pop. Density	Pop./ Pop. Total
0-1/4	(575) 1,587	**************************************		1,587 / 1,587
>1/4-1/2	(324) 895	Cahokia 1.5% (18,904) 284		1,178/ 2,765
>1/2-1		Cahokia 43% (18,904) 8,139	.328 E.St.L. (4,119) 1,353	9,491 / 12,256
>1-2	(385) 1,063	Cahokia 42.3% (18,904) 8,000	1.9 E.St.L. (4,119) 7,826 1.0 St.L. (7,379) 7,379	24,268 / 36,524
>2-3		Dupo 5% (3,039) 1,520 Centreville 75% (9,747) 7,310 Alorton 100% (2,237) 2,237	2.3 E.St.L. (4,119) 9,474 5.9 St.L. (7,379) 43,537	64,078 / 100,602
>3-4		Dupo 5% (3,039) 1,520 Centreville 25% (9,747) 2,436	4.0 E.St.L. (4,119) 16,476 7.2 St.L. (7,379) 53,129	73,561 /174,163

Total Target Population = 174,163

6. BIBLIOGRAPHY

- The Avendt Group, Inc. March 1990, <u>Site Investigation /</u>
 <u>Feasibility Study for Creek Segment A</u> prepared for Cerro
 Copper Products, Sauget, Illinois.
- Bureau of the Census. <u>County and City Data Book</u>. 1990 U.S. Census data.
- Illinois Department of Commerce and Community Affairs, 1988, <u>Illinois Manufacturers Directory</u>, published by Manufactures' News, Inc.
- Illinois Department of Energy and Natural Resources, State Water Survey, water well records of wells in St. Clair County, Townships 1 and 2 North, Ranges 10 and 9 West.
- Illinois Environmental Protection Agency, Division of Land Pollution Control files for St. Clair County L1630000000.
- Ecology and Environment Incorporated (E&E). May, 1988,

 <u>Expanded Site Investigation Dead Creek Project Sites at</u>

 <u>Cahokia/Sauget, Illinois</u> prepared for Illinois

 Environmental Protection Agency, Division of Land Pollution
 Control.
- Geraghty and Miller, Incorporated. March, 1992, <u>Site</u>
 <u>Investigation for Dead Creek Sector B and for Sites L and M, in Sauget and Cahokia, Illinois, prepared for Monsanto Company, St. Louis, Missouri.</u>
- Lutz, Richard W. Illinois Department of Conservation, Division of Planning, Impact Analysis Section Supervisor. June 24, 1991. Personal correspondence.
- Moore, Bonnie. Southwestern Illinois Metropolitan Planning Commission, (618) 344-4250, Telephone interview.
- U.S. Department of the Interior. <u>Water Resources Data Illinois</u>, <u>Water Year 1989 Volume 1. Illinois except Illinois River Basin</u>. U.S. Geological Survey, 1990
- U.S. Department of the Interior. Fish and Wildlife Service, National Wetlands Inventory Maps: Monks Mound, IL. Quadrangle (225A), Granite City, IL-MO Quadrangle (225B), Cahokia, IL-MO Quadrangle (225C), French Village, IL. Quadrangle (225D).
- U.S. Geological Survey, 1974, Monks Mound, IL. Quadrangle (225A), 1982, Granite City, IL-MO Quadrangle (225B), 1974, Cahokia, IL-MO. Quadrangle (225C), 1982, French Village, IL Quadrangle (225D), 1974, Webster Groves, MO-IL (224D), 1982, Clayton, MO (224A) 7.5 Minute Series


- USEPA, December, 1990 Draft, <u>Bioaccumulation of Selected Pollutants in Fish. A National Study EPA 506/6-90/001b Washington D.C.</u>
- Yuraqecz, M.P., and B.J.Puma, 1983, Identification of Chlorinated Nitrobenzene Residues in Mississippi River Fish, <u>Journal of the Association of Official Analytical Chemists</u> 66(6):1345-1352.

SDMS US EPA REGION V FORMAT- OVERSIZED - 5 IMAGERY INSERT FORM

The item(s) listed below are not available in SDMS. In order to view original document or document pages, contact the Superfund Records Center.

SITE NAME	SAUGET ARI	EA 1						
DOC ID#	150584							
DESCRIPTION OF ITEM(S)	OVERSIZE SITE MAPS							
REASON WHY UNSCANNABLE	_X_OVERSIZ	ZED O	R	FOR	MAT			
DATE OF ITEM(S)								
NO. OF ITEMS	a							
PHASE	SAS							
PRP								
PHASE (AR DOCUMENTS ONLY)				Deletion Docket Volume				
O.U.								
LOCATION	Box #	Folder #		_ Subsection				
	COMM	ENT(S)						
	OVERSIZED	SITE M	AP	S	1			

APPENDIX A GROUNDWATER 4-MILE RADIUS MAP



APPENDIX B
SURFACE WATER ROUTE MAP

SITE: Sauget Sites
SITE ILD Area #1 ILLINOIS ENVIRONMENTAL SITE ILD PROTECTION AGENCY See CERCLIS QUAD: Webster Groves, MO-IL QUAD: Cahokia, IL-MO NUMBER: 224 D NUMBER: 225 C DATE: 1974/1988 Wetland DATE: 1974/1988 Wetland QUAD: Valmeyer, IL-MO QUAD: Oakville MO-IL NUMBER: 248 D NUMBER: 248 A DATE: 1974/1988 Wetland DATE: 1982/1988 Wetland 15-MILE SURFACE WATER MAP LEGEND: Site Location Surface Water PPE Intake

ad Maria

APPENDIX C
USEPA FORM 2070-13

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION

11 STATE 02 STEPHANER

SEE CERELIS

PART 1 - SI	TE LOCATION AND	INSPE	CTION INFORMAT	TON See 1	CERELIS
II. SITE NAME AND LOCATION					
01 SITE NAME (Lagal, common, or describing name of also)		02 STREE		AFIC LOCATION IDENTIFIER	
Sauget Sites Area #				locations	
US CITY •				S COUNTY	07COUNTY 08 CONG CODE DIST
Sauget/Cahokia	LACTURE OF OWNERS	16	62206	St. Clair	163 21
COORDINATES Multiple LONGITUDE	A. PRIVATE			C. STATE D. COUNTY	E E. MUNICIPAL IN
III. INSPECTION INFORMATION 11 DATE OF INSPECTION 02 SITE STATUS	03 YEARS OF OPERAT	2011			
3 27- 91 ACTIVE	_ 19	332	1 1981 '5	UNKNOWN	
OA AGENCY PERFORMING INSPECTION (Choca areas asset)		NNING YE	AR ENDING YEAR		
☐ A. EPA ☐ B. EPA CONTRACTOR		□ C. M	UNICIPAL 🗀 D. MUI	NICIPAL CONTRACTOR	·
■ E. STATE ☐ F. STATE CONTRACTOR	(Name of firm)	□ G, 0°	THER	(Specity)	(Name of lim)
OS CHIEF INSPECTOR	OS TITLE			07 ORGANIZATION	OB TELEPHONE NO.
Tim Murphy	EPS			IEPA	(217)782-6760
	10 TITLE			1 1 ORGANIZATION	12 TELEPHONE NO.
Paul Takacs	EPS			11	() tr
Judy Triller	EPS			41	() 4
Greg DUNN	EPS			ц	() #
Greg Spencer	EPS			11	() #
					()
13 SITE REPRESENTATIVES INTERVIEWED Mike King	Mayor of Cahokia		15ADDRESS 103 Main So	s. Cahokia, IL GZZOG	18 TELEPHONE NO (618) 337-3492
Paul McNamara	Villaga Planner			()	() ===
Ema Locket	Administrato	r	E. Side Healt 5540 Bunkun	th District n Rd., Washington	(LK18)874-462E
					()
				· .	()
					()
17 ACCESS GAINED BY (Cheer one) E PERMISSION WARRANT 18 TIME OF INSPECTION 8:3C _A -6:3C _P (8:0C _B -1:4C _P (19 WEATHER CON 1974 WINNEY SO 286 SUNNY M	YNM	mild	·	
IV. INFORMATION AVAILABLE FROM	102.05 (1				LOS TELEPHONE NO.
O1 CON1 AG1	02 OF (AgencyrOrgs	p-45040A)			()
04 PERSON RESPONSIBLE FOR SITE INSPECTION FORM	05 AGENCY	1	RGANIZATION	07 TELEPHONE NO.	08 DATE
Tim Murphy	IEPA	B	L/ BRM/	(217) 782-6760	9,73,97 MONTH DAY YEAR

9	

POTENTIAL HAZARDOUS WASTE SITE

VET	A			TION REPORT EINFORMATION		See CERI	<u>ELI S</u>
II. WASTE ST	ATES, QUANTITIES, AN	D CHARACTERI	STICS			•	
	TATES (Cheen at the seery)	02 WASTE QUANTIT	TY AT SITE	03 WASTE CHARACTE	PRISTICS (Choose as since and	Diyi	
€ A. SOLIO Æ B. POWDER ⊕ C. SLUDGE	C G. GAS	TONG	"WKYONY	를 A. TOXIC ₫ B. CORROS C. C. RADIOAC € O. PERSIST	CTIVE & G. FLAMM	NOUS J. EXPLOSE	VE /E ATIBLE
J D. OTHER	/Secury	NO. OF DRUMS	THE STATE OF	•		— m. mgr re-	- UCAGLE
III. WASTE T	YPE		_				
CATEGORY	SUBSTANCE N	IAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS		
SLU	SLUDGE		V				
OLW	OILY WASTE		V	1			
SOL	SOLVENTS		V				
PSD	PESTICIDES		V	UNKNOWA	/		
occ	OTHER ORGANIC CH		1				
IOC	INORGANIC CHEMIC	ALS	1 1				
ACD	ACIDS		1-1-	 '	<u> </u>		
BAS	BASES HEAVY METALS		1	<u> </u>			
MES	OUS SUBSTANCES		V -		<u> L.,</u>		
Q1 CATEGORY	02 SUBSTANCE N		03 CAS NUMBER	04 STORAGE/DISI	20241 14571400	OS CONCENTRATION	06 MEASURE OF CONCENTRATION
Q1 CATEGORY		ione.	U3 CA3 NUMBER	U4 3 I URAUE US	POSAL METHOU	05 CONCENTRATION	CONCENTRATION
	See report		+	 			
			+	 		 	 ,
			+				}
				 			
				+			
				 		 	
			 	+			
· ·	 			 		 	
			+	 		 	
	 		 	 			
	 					 	
						 	
<u> </u>	ļ		 	+	· · · · · · · · · · · · · · · · · · ·	 	
ļ	 		 	 	·	 	
<u> </u>	 			 		<u> </u>	
	<u> </u>			<u> </u>		<u> </u>	<u> </u>
V. FEEDSTO	OCKS ISon Assessed for CAS Must	- Darti					
CATEGORY	Y 01 FEEDSTO	CK NAME	02 CAS NUMBER	CATEGORY	01 FEEDST	OCK NAME	02 CAS NUMBER
FDS				FDS	<u> </u>		
FOS				FOS	<u> </u>		
FOS				FDS			
FOS				FOS	<u> </u>		
	ES OF INFORMATION (C						
IEPA F Ecology	iles for the D 1 + Environment (E+E)	and Creek t's Expans	c Sites in 1 Dead Ci	StoClair Cou reek Sites	wity Study Ma	y, 1988	

\$EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 1 - SITE LOCATION AND INSPECTION INFORMATION L. IDENTIFICATION 01 STATE 02 SITE NUMBER LLD 980 6/99						
II. SITE NAME AND LOCAT	TON						
Savget Mons	anto Illinois L.	andfill Falling Springs	Rd. at Queany Ave.				
Sauget		1L 62201 SAC	la carried as a case?				
38 35 29.0	090 10 1 L.S	© TYPE OF GWNERSHIP Cheer and E. A. PRIVATE G. B. FEDERAL G. C., STAT G. F. OTHER	TE C O. COUNTY C E MUNICIPAL C G. UNKNOWN				
III. INSPECTION INFORMA	TION						
01 DATE OF INSPECTION 27+ 03 28: 91 WONTH DAY FEAR	02 SITE STATUS C ACTIVE INACTIVE	03 YEARS OF OPERATION 1931 1957 BEGINNING YEAR SHOUNG YEAR	UNICHOWN				
04 AGENCY PERFORMING INSPE	GTION (Cheer as that above)						
I ALEPA I BLEPA COL E EL STATE I FL STATE C	CNTRACTOR	C C. MUNICIPAL C D. MUNICIPAL C G. OTHER	(Name of front				

\$EPA ,	POTENTIAL HAZ SITE INSPE ART 1 - SITE LOCATION A	I. IDENTIFICATION OI STATE 02 SITE NUMBER ILD 961953673		
II. SITE NAME AND LOCATION				
31 SITE NAME :Legal, common, or describere name of a	R OI	02 STREET, ROUTE NO., OR S	PECIFIC LOCATION IC	PENTIPER
Dead Creek Area	G	Queeny	Ave	
רהום בס		04 STATE 05 ZIP CODE	06 COUNTY	OTCOUNTY OF CON
Sauget		1L 62201	St. Clai	r 163 21
38 35 77 0 090 LONG	TUDE 5". D I F. OTHE	TE 3 8. FEDERAL		D. COUNTY (I E. MUNICIPAL 3. UNKNOWN
III. INSPECTION INFORMATION				
DI DATE OF INSPECTION 02 SITE S	TATUS 03 YEARS OF OP	RATION		
	ACTIVE NACTIVE	1952 1 late 70 BEGINNING YEAR ENDING YEAR		JNKNOWN
04 AGENCY PERFORMING INSPECTION (Chees	I that 400rys			
I A. EPA I B. EPA CONTRACTOR		C. MUNICIPAL CD.	MUNICIPAL CONTR	
E E. STATE IF STATE CONTRACTOR	Name of firms	C G. OTHER	/Socotyl	(Name et lams

.

\$EPA	POTENTIAL H. SITE INS PART 1 - SITE LOCATIO	OI STATE	IFICATION 02 SITE NUMBER 984809269	
IL SITE NAME AND LOCATION	4			···
Waggoner Truc	· (Site L)	1300 Que		
Souzet	J	LL 62701	St. Clair	orcounty of cong
38 35 LO.0		WNERSHIP (Chest one) RIVATE CI B. FEDERALC THERC	C. STATE C D. COUNT	Y [E. MUNICIPAL
III. INSPECTION INFORMATIO				
3 , 28, 91	C ACTIVE SINACTIVE	1971 1 1981 BEGINNING YEAR ENDING YEAR	UNKNOWN	
04 AGENCY PERFORMING INSPECTA	ON (Chock at that above)			
C A. EPA C B. EPA CONTR	(Marks of famili	C. MUNICIPAL CO. MU	INICIPAL CONTRACTOR _	(Name of firm)

							
0 = 54	POTE	ENTIAL HAZARDOUS WASTE SITE				TIFICATION	
SEPA SITE INSPECTION REPORT						984809251	
7/L 1/\	PART 1 - SITE LOCATION AND INSPECTION INFORMATION						
II. SITE NAME AND LOCATIO	N						
O1 SITE NAME (Look common, or descrip					ECIFIC LOCATION IDENTIFIE		
H.H. Hall Exc	avation Pit	(site M)	West i	End or	f Welvet St	reet	
03 CITY			04 STATE OS Z	PCCDE	06 COUNTY	PACO 80 MINICOZO	
Cahokia				2701	Stickir	163 21	
39 COORDINATES		TYPE OF OWNERS					
38 35 05.0 0	90 10 50.0	S F. OTHER .	S. PEDERAI		C C. STATE C O. COUN		
III. INSPECTION INFORMATIO	ON				<u> </u>		
OI DATE OF INSPECTION	02 SITE STATUS	J YEARS OF OPERA					
3,28,91	☐ ACTIVE	ľ	950 1	UNK	UNKNOV	VN .	
MARY VAC HTHOM	# INACTIVE	SEG	RABY DAWN	ENDING YEA		•••	
04 AGENCY PERFORMING INSPECT	ON (Cheer of their about)						
CIALEPA CIBLEPACONTI	RACTOR		C C MUNICE	PAL COLA	AUNICIPAL CONTRACTOR		
DE STATE OF STATE CON	(Nex	Re of family	C G. OTHER			(Name at hms	
BE SIAIR LF SIAIRCO	11 PACTOR	ne of harin	_ C G. UIRER		(Socatvi		
							

τ

≎EPA	POTE	Ī	IDENTIFICA IT STATE 02 SI ILD 98		3،		
IL SITE NAME AND LOCATIO	N ·						
H.H. Hall Cons		(SiteN) mponly	3500 Block	K Falling Sp		Rd.	
Cahokia			IL 67706	St. Clair	- 0 -	163	os cong dist 21
38 34 56.0 0	90 10 25.0	IO TYPE OF OWNERS: A. PRIVATE D. F. OTHER	HIP (Chees are)		COUNTY [E. MUNICIP	AL
III. INSPECTION INFORMATI							
01 DATE OF INSPECTION 27 28 , 91 WONTH DAY YEAR	02 SITE STATUS II ACTIVE E INACTIVE	03 YEARS OF OPERA	1950 ¹⁵ UNK BINNING YEAR ENDING YE		NKNOWN		
O4 AGENCY PERFORMING INSPECT C A. EPA C B. EPA CONT E E. STATE C F. STATE CO	RACTOR	Name of furni	☐ C. MUNICIPAL ☐ D.	MUNICIPAL CONTRA	ACTOR	(Name of Rom	

\$EPA	INTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT LOCATION AND INSPECTION INFORMATION LOCATION AND INSPECTION INFORMATION	OI STATE OZ SITE MANGER		
IL SITE NAME AND LOCATIO	N			
Dead Creek		North of Queeny Ave.		
Sauget	3			
	901015.0	E A PRIVATE I B. FEDERAL I C. STATE I D. COUNTY I E MUN		
III. INSPECTION INFORMATI				
3 78 91	02 SITE STATUS ACTIVE INACTIVE	CALLY 1905 UNK UNKNOWN BEGINNING YEAR ENDING YEAR		
04 AGENCY PERFORMING INSPECT	ION (Cheer or their security)			
C ALEPA C BLEPA CONT	NTRACTOR	C C. MUNICIPAL C D. MUNICIPAL CONTRACTOR	at Arms	

•

.

≎EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 1 - SITE LOCATION AND INSPECTION INFORMATION					LIDENTIFICATION 01 STATE 02 SITE NUMBER (LD 980797006		
IL SITE NAME AND LOCATION								
O1 SITE NAME (LOCAL COMPAN OF SOCIOSON	name of sees	10	2 STREET	ROUTE NO., OR SE	ECITIC LOCATION I	SENTRER		
Dead Creek	(Segment B	s)	E. Wa	ulnut St.	NIOF JU			
Sauget		ľ	IL	05 ZIP CCOE 62701	St. Clai	۲-	0700UNTY 000€ 163	CB CONG OIST 21
38 35 09.0 09	ב בפועסקיים	OF OWNERSHIP A. PRIVATE (F. OTHER			C C. STATE C	D. COUNTY E I	E MUNICIP	AL,
III. INSPECTION INFORMATION								
01 DATE OF INSPECTION	ASY EO SUTATE STIE SE	AS OF OPERATION	ON					
3 , 20, 91	C ACTIVE INACTIVE	eo-r lu Segin	y 1960			JNKNOWN	•	
04 AGENCY PERFORMING INSPECTION	(Chees as that easily)							_
☐ A, EPA ☐ B, EPA CONTRA ■ E, STATE ☐ F, STATE CONTI	(Name of ferm	~	© C.MU © C.O∏		AUNICIPAL CONTE	RACTOR	(Name as firms	-

				·		•	
\$EPA		ENTIAL HAZAR SITE INSPECT LOCATION AND	TON RE	PORT			TCATION DZ SITE NUMBER 98 48 09 285
II. SITE NAME AND LOCATI		LOCATION AND	/ INSPEC	TION INFORM	ATION		
Dead Creck Se			OZ STREE	th of s	Judith		
Cahokia	4		04 STATE	62206	St. (Clair	0700UNTY 08 CON 000E 01ST
SE 33 50.0	290 11 25.0	10 TYPE OF OWNERS: A. PRIVATE J. F. OTHER.			C C. STATE	G G. COUNTY	E E MUNICIPAL
III. INSPECTION INFORMATION OF DATE OF INSPECTION O3 , 2B, 91	O2 SITE STATUS CI ACTIVE SI INACTIVE		TION Ly (900 EINNING YEA			UNKNOWN	
QA AGENCY PERFORMING INSPEC ☐ A, EPA ☐ B, EPA CON ■ E, STATE ☐ F STATE C	ITRACTOR	asia of fermi	. С.м .		IUNICIPAL C	ONTRACTOR	(Name of hims

I. IDENTIFICATION 01 STATE 02 SITE NUMBER

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT CERCLIS PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS IL HAZARDOUS CONDITIONS AND INCIDENTS 01 S A. GROUNDWATER CONTAMINATION 02 E OBSERVED (DATE: ___ **Z POTENTIAL** C ALLEGED 03 POPULATION POTENTIALLY AFFECTED: >50 04 NARRATIVE DESCRIPTION Groundwater under many of the Sites is contominated with a variety of organic and incrganic compounds/analytes, see report-table 2-5. 01 B 8. SURFACE WATER CONTAMINATION
03 POPULATION POTENTIALLY AFFECTED: UNK 02 - OBSERVED (DATE: 3/27/91 ☐ ALLEGED 04 NARRATIVE DESCRIPTION Wetlands are contaminated with PCB's See to ble 3-3 in report (XIII) 02 E OBSERVEDIDATE 7/16,17/87 01 C. CONTAMINATION OF AIR ☐ POTENTIAL J ALLEGED <u>1587</u> 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION WIN 14 mile Site G and CSB have a documented release of PNA's and PCB's 01 E D. FIRE/EXPLOSIVE CONDITIONS 02 C OBSERVED (DATE: 7/79 _ POTENTIAL 03 POPULATION POTENTIALLY AFFECTED: UNK 04 NARRATIVE DESCRIPTION 5/80 Complaints received by IEPA concerning fires and smoldering in Dead Creek 02 C OBSERVED (DATE: . 01 E E DIRECT CONTACT 3/28/9/ ☐ ALLEGED E POTENTIAL 03 POPULATION POTENTIALLY AFFECTED: __UNK__ **04 NARRATIVE DESCRIPTION** Residential and School property are win the contaminated creek segments 01 @ F CONTAMINATION OF SOIL 02 - OBSERVED (DATE: 1980,1986, 1994) **I POTENTIAL** ☐ ALLEGED UNK 04 NARRATIVE DESCRIPTION 03 AREA POTENTIALLY AFFECTED: Residential yards sampled during the SSI revealed observable release critieria for heavy metals 01 # G. DRINKING WATER CONTAMINATION 02 C OBSERVED (DATE: 3/26/87) POTENTIAL ☐ ALLEGED 03 POPULATION POTENTIALLY AFFECTED: > SO 04 NARRATIVE DESCRIPTION Residential wells sampled by E+E showed estimated values of volatiles and also metals 01 # H. WORKER EXPOSURE/INJURY ALLEGED 02 C OBSERVED (DATE: I POTENTIAL 04 NARRATIVE DESCRIPTION 03 WORKERS POTENTIALLY AFFECTED: 3000 Workers at CERRO Copper are exposed to Site I and have been exposed to CS A (remediated 11/90) 01 TI. POPULATION EXPOSURE/INJURY 02 OBSERVED (DATE: . ☐ POTENTIAL C ALLEGED 03 POPULATION POTENTIALLY AFFECTED: **04 NARRATIVE DESCRIPTION**

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION
01 STATE 02 SITE NAMED
See CERCLIS

VEFA	PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS
IL HAZARDOUS CONDITI	DNS AND INCIDENTS (Community
01 E J. DAMAGE TO FLOR 04 NARRATIVE DESCRIPTIO	N CONTRACTOR OF THE CONTRACTOR
CSB has	areas that are devoid of vegetation in northern section
	V
01 & K. DAMAGE TO FAUL 04 NARRATIVE DESCRIPTION	M (Inchase names) of species 4-7 FPA
Tt has bee	in remoted that domestic animals have been effected by
	ited treek segments (Dog dies due to burns, cats have growths/
Intelligible and the	
OF MARRATIVE DESCRIPTION	N 2/05
Fish in Miss	sissippi River are conteminated us/ Dioxins, PCB's, chlorinated witro-
behzenes.	sissippi River are conteminated us/ Dioxins, PCB's, chlorinated vitro- May or May Not be Attributable to Area #1
01 E M. UNSTABLE CONT	AINMENT OF WASTES 02 C OBSERVED (DATE:) _ POTENTIAL _ ALLEGED
(South Attion POTENTI)	NALLY AFFECTED:
No liners of	: landfills (site GHI) or lagoons (L)
01 - N. DAMAGE TO OFF	
	ow attributable contamination of heavy metals See report, 3-3
joras si	to ble
<u> </u>	
01 E O. CONTAMINATION 04 NARRATIVE DESCRIPTI	OF SEWERS, STORM DRAINS, WWTPs 02 (OBSERVED (DATE:) POTENTIAL (ALLEGED ON
Overflow:	s from Dead Creek Could enter Jewer System
	,
01 € P ILLEGAL/UNAUT	HORIZED DUMPING 02 @ OBSERVED (DATE: 1/7/1) C POTENTIAL C ALLEGED
04 NARRATIVE DESCRIPTI	ON (Ste L) direct dumping into Dead Creek by Wasgoner Trucking
	ON (Site L) direct dumping into Dead Creek by Wasgoner Trucking Random dumping at Site G. through 1920's
	at site H IN 1981 (J. Tolbird)
05 DESCRIPTION OF ANY	OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS
Many of	the residential people complained of illnesses and concer while
Samphing	
	POTENTIALLY AFFECTED: 2/587
IV. COMMENTS	
1	•
1	
	MATION (Cro second references, e. g., state Mes. semile energies, recorns
IEPA files f	or Souget /St. Clair Co. Dead Creek Sites
E+E report	- May, 1988

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

I. IDENTIFICATION								
OI STATE See	CERCLIS							

ACLY		AND DESCRI	PTIVE INFORMAT	ION [See CERCLIS
. PERMIT INFORMATION					
TYPE OF PERMIT ISSUED	02 PERMIT NUMBER	03 DATE ISSUED	04 EXPIRATION DATE	05 COMMENTS	
T.A. NPOES				,	
		İ			
IC. AIR					
I D. RCRA					
E. RCRA INTERIM STATUS					
F SPCC PLAN		 	†	<u> </u>	
I.G. STATE SOCON					
TH. LOCAL Specifer					
II. OTHER (Specify)		1		<u> </u>	
# J. NONE		1			
I. SITE DESCRIPTION	·····		· · · · · · · · · · · · · · · · · · ·		
STORAGE/DISPOSAL (Check at that approx	02 AMOUNT 03 UNIT OF	FMEASURE 04	TREATMENT (Choca at mar.	SO(Y)	05 OTHER
A. SURFACE IMPOUNDMENT		54	. INCENERATION	,	
I B. PILSS			I. UNDERGROUND INJ	ECTION	A. BUILDINGS ON SITE
€ C. DRUMS, ABOVE GROUND	≈30 55ga	<u> </u>	C. CHEMICAL/PHYSIC	AL	
I D. TANK, ABOVE GROUND			D. BIOLOGICAL		06 AREA OF SITE
# F. LANDFILL	310.000 vd-	3	E. WASTE OIL PROCES F. SOLVENT RECOVER		
□ G. LANDFARM			3. OTHER RECYCLING	•	~ 39
型 H. OPEN DUMP	21400 yd3	(a) (-	H. OTHER		
I. OTHER		j	(50	recity)	
			\ M \ 'L	1 2 00	
V. CONTAINMENT			***************************************		
1 CONTAINMENT OF WASTES (Check one)				<u> </u>	<u></u>
I A. ADEQUATE, SECURE	☐ B. MODERATE	C. INADE	QUATE, POOR	🛢 D. INSECI	URE, UNSOUND, DANGEROUS
2 DESCRIPTION OF DRUMS, DIKING, LINERS	S. BARRIERS, ETC.		·		
No liners on landfill	s or legends				
				•	
W ACCESSIBILITY					
V. ACCESSIBILITY	VES CINO		·		
01 WASTE EASILY ACCESSIBLE: 10 02 COMMENTS IN CS C-					
אב כא עב	•				
				·····	
VI. SOURCES OF INFORMATION (CA	e specific references, e.g. state files, saf	7010 anarvsis, /000/151			
IEPA files for Suu E+E report May, i	get/St. Clair Co., 988	, Dead Cr	eek Sites		
cho report may,					

ŞEPA	POTE	LIDENTIFICATION 01 STATE 02 SITE NUMBER SEE CERCLIS									
II. DRINKING WATER SUPPLY		·									
01 TYPE OF DRINKING SUPPLY		02 STATUS			03 DISTANCE TO SITE						
(Check as assessment) SURFACE	WELL	ENDANGERED	AFFECTED	MONITORED	upstream.						
COMMUNITY A. E	8. 🗆	A.C	8. 🗆	c . 🗆	A(mi)						
NON-COMMUNITY C. []	0.	D. Q	E. C	F. 🗆	B009 (mi)						
III. GROUNDWATER 01 GROUNDWATER USE IN VICINITY (Choose											
OT GROUNDWATER USE IN VICINITY (Cheef east A. ONLY SOURCE FOR DRINKING B. B. DRINKING (Other sources available) COMMERCIAL, INDUSTRIAL, IRRIGATION (Linked other sources available) (Linked other sources available)											
02 POPULATION SERVED BY GROUND WAT			03 DISTANCE TO NE	AREST DRINKING WATER	WELL 1009 (mi)						
TO GROUNOWATER	05 DIRECTION OF GR	OUNOWATER FLOW	06 DEPTH TO AQUIF OF CONCERN	OF AQUIFER	LD 08 SOLE SOURCE AQUIFER (gpd) 89 YES [] NO						
1 09 DESCRIPTION OF WELLS (Including uncope	gagen, and location relative to	e population and buildings)			- i Abreli						
Private wells range from 15-50 feet 10 RECHARGE AREA 11 DISCHARGE AREA 12 DISCHARGE AREA 13 DISCHARGE AREA 14 DISCHARGE AREA 15 DISCHARGE AREA 16 DISCHARGE AREA 17 DISCHARGE AREA 18 DISCHARGE AR											
IV. SURFACE WATER											
01 SURFACE WATER USE (Chook onc) A. RESERVOIR, RECREATION DRINKING WATER SOURCE		ON. ECONOMICALLY ANT RESOURCES	C. COMM	ERCIAL, INDUSTRIAL	☐ D. NOT CURRENTLY USE						
02 AFFECTED/POTENTIALLY AFFECTED 8	ODIES OF WATER				 						
NAME:				AFFECTE	DISTANCE TO SITE						
Dead Creek Wetlan Old Prairie Dupan Mississippi River				E	0 0 1,5						
V. DEMOGRAPHIC AND PROPERT	TY INFORMATION										
01 TOTAL POPULATION WITHIN				02 DISTANCE TO NEAR	REST POPULATION						
	WO (2) MILES OF SITE B. 36,524 NO. OF FERSONS		3) MILES OF SITE CO 1607 40. OF PERSONS		, O (mi)						
03 NUMBER OF BUILDINGS WITHIN TWO			04 DISTANCE TO N	EAREST OFF-SITE BUILDIN	G						
			1	≈ 30,000							
<i>≈</i> 30,				,00	7(mi)						

See Appendix A + B (Maps in report)

POTENTIAL HAZARDOUS WASTE SITE

		TFICATION
I	OI STATE	OZSITENAMBER CERCLIS

	PART 5	SITE INSPEC WATER, DEMOGRAPH -			NMENTAL D	15.	E CERCLIS
I. ENVIRONMENTAL INFORM							
PERMEABILITY OF UNSATURATED							
□ A. 10 ⁻⁴ - 10	=ª Cm/sec □	3 8. 10 ⁻⁴ - 10 ⁻⁶ cm/sec] C. 10-4 -	10 ⁻³ cm	rsec 🖶 D. GR	EATER THAN	10 ⁻³ cm/sec
PERMEABILITY OF BEDROCK (Chee)	I gnei	·					
C A. IMPER	MEABLE :	2 8. RELATIVELY IMPERMEAS		ELATIVEL		C D. VERY	PERMEABLE shan 10 ⁻² crivates
DEPTH TO BEDROCK	04 DEPTH OF	CONTAMINATED SOIL ZONE		05 SOIL or	·	1	· · · · · · · · · · · · · · · · · · ·
70-120 m		<u> </u>	l	<u>u</u>	NK		
NET PRECIPITATION	07 ONE YEAR	24 HOUR RAINFALL	08 SLOPE SITE SI	ODE	DIRECTION	E SITTE SI ODE	7777744 4467465 0100
39,5 _(in)		2.5	42		[F SITE SLOPE	TERRAIN AVERAGE SLOP
FLOOD POTENTIAL	1	10	ــــــــــــــــــــــــــــــــــــــ		<u></u>		
protected by 500 site is in YEAR FL	LOODPLAIN	SITE IS ON BARR	IIER ISLAND.	. COASTA	L HIGH HAZARI	D AREA. RIVER	RINE FLOODWAY
CISTANCE TO WETLANDS IS NO	Site	in wetland	12 DISTANC	CE TO CRIT	CAL HABITATIO	endengered species	
ESTUARINE		OTHER			_	9	-(mi) at RM
A(mi)	8	<u>Ó</u> (mi)	EN	DANGER	C SPECIES:	ald Engle	145.5
A(n	ni)	FORESTS, OR WILDU	(mi)	ES	C	EAG LAND (mi)	D(mi)
4 DESCRIPTION OF SITE IN RELATIO		USGS TOPE	Map				
See App			•				
See APP			•				
See APP			·				
See APP			•				
See App							
See App			•				
See App							
See App							
See App							

USGS Topographic Maps E+E raport May, 1988

ŞEPA		OTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT ART 6 - SAMPLE AND FIELD INFORMATION	OI STATE 02 See C	
I, SAMPLES TAKEN				
SAMPLE TYPE	01 NUMBER OF SAMPLES TAKEN	02 SAMPLES SENT TO		03 ESTIMATED DATE RESULTS AVAILABLE
GROUNOWATER	5	IEPA organics labin Springfield, IL IEPA inorganics lab in Champaign, 1		May 91
SURFACE WATER				
WASTE				
AIR				
RUNOFF				
SPILL.				
SOIL	13	И		11
VEGETATION				
OTHER				
III. FIELD MEASUREMENT	S TAKEN			
		02 IN CUSTODY OF TEPA :Nemo or organization or individual		
V. OTHER FIELD DATA CO	DLLECTED (Provide neverne of	escretani		
		. e.g., state lines, samore anerysis, reports)		
IEPA files to E+E report	or Saugat/Cah May, 1988	ookia Dead Creek Sites.		

SEPA	SITE	HAZARDOUS WASTE SITE ISPECTION REPORT	OLSTATE 02	SITE NUMBER ERCLIS
	PART 7	OWNER INFORMATION		- 100.3
II. CURRENT OWNER(S)	1000	PARENT COMPANY III 2004CE204		
	INCY			REMUMB+C 60
03 STREET ADDRESS IP 0. doc. 1990 We.	04 SIC COO	E 10 STREET ADDRESS (P. O. Bos. APO	*, etc.)	11 SIC CODE
Sauget	COSTATE OF ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
Myrtle+Emily Hanki	NS 02 0+8 NUMBE	OS NAME		RABMUM 8+0 PC
3110 Mississippi A	04 SIC CCC	E 10 STREET ADDRESS (P.O. Box, RFO.	P. etc.)	I I SIC CODE
Sauget	OG STATE OF UP COOK	12017	STATE E	1 4 ZIP CODE
31 NAME	's Cartage			R38MUN 6+0 60
Falling Springs	04 SIC CO	DE CONTREET ADDRESS (P. O. 802, APO	€. NC.1	11 SIC COCE
Sauget	16 STATE OF ZIP CODE	12 CITY	13 STATE	14 ZP COCE
Cerro Copper Produ	Cts 020+8 NUMBE			R38MUM 8+0 60
33 STREET ADDRESS IP 2. 201. AFO + HE.I	04 SIC CO			11 SIC CODE
Sauget	12 6270	2/ 12 diry	13 STATE	14 ZIP CODE
III. PREVIOUS OWNERS) (Les most recent	Pratt	IV. REALTY OWNER(S) (# 400	acage; ust most recent first!	
Leo Sauget	02 0+8 NUMBI	IR 01 NAME		02 0+8 NUMBER
(deceased)	04 SiC C	DOE 03 STREET ADDRESS (P. O. BOA, APE	0 ¢. eld.1	04 SIC CODE
os CITY	OSSTATE OF ZIP CODE	CS CITY	06 STATE	07 ZIP CODE
J. Tolbird (Roger's	Cartage	SMAN 10 F		02 D+8 NUMBER
03 STREET ADDRESS (P.O. DA. APO WILL) See a bov		DE DE STREET AOORESS (P.O. 804. RP)	0 ¢. eta.)	04 SIC CODE
05 CITY	06 STATE 07 ZIP CODE	os ary	OB STATE	07 ZP COOE
WaggoNer Truck	N9+	ER 01 NAME		02 D+8 NUMBER
GUEN Trucking OSCITY (defunct)	04 SIC CC	OE 03 STREET ADORESS (P.O. Box. APC) ø. ere.)	04 SIC CODE
oscity (defunct)	06 STATE 07 ZIP CODE	05 CITY	OB STATE	07 ZIP CODE
V. SOURCES OF INFORMATION /Ca	180cm2 /eroroncas, e.g., 11810 /166, 28	Pole analysis, reports		
IEPA files for So E+E report May	uget/Cahokia ,,1988	Dead Creek Sites		
FPA FORM 2070-13 (7-81)				

O EDA	POTE	POTENTIAL HAZARDOUS WASTE SITE			
\$EPA		SITE INSPEC	CTION REPORT ERINFORMATION	See 2	STE NUMBER ERCLIS
IL CURRENT OWNER(S)			PARENT COMPANY III ABBURDANI		
Keelev L. Paving +Con	ist.	R38MUM E	OS NAME		REBAUM 8+0 PC
2901 Falling Springs	Rd.	04 SIC CODE	10 STREET ADDRESS (P. O. 304, RFO P. orc.)		11 SIC CODE
- Cahokia	DE STATE OF EN	2206	12 CITY	STATE .	14 ZP CODE
Thomas Owen	02.0	RBBMUM E	OS NAME		F384UM 8+0 80
03 STREET ADDRESS 100 BL MOO. MILL 1929 Sandy Ridge Ro		04 SIC CODE	10 STREET ADDRESS (P.O. 201 AFO P. HE.)		11 SIC CODE
Cahokia	GE STAFE OF Z	62206	12 GITY	STATE C1	14 ZP CCCE
H. H. Hall CONST. Co	0.	RBBMUN 6+	C8 NAME		F38MUN &+0 60
CO STREET ACCRESSION OF MAL APO - OFE. Falling Springs Rd.		04 SIC CCCE	TO STREET ADDRESS IP O. Box. RFO P. MC.I		I I SIC COCE
Cahokia	OB STATE OF Z	6220G	12 GITY	STATE EL	14 ZP CCCE
OI NAME Private + Municipal *Village of Cabakia	★ 02 0	R3BMUN E+	CS NAME	·	538MUN E+000
*Village of Cahokia 03 STREET ACCRESSION OF MAIN St.	· · · · · · · · · · · · · · · · · · ·	04 SIC CODE	10 STREET AOCRESS IP Q. Sos. RFD # HELI		I 1 SIC CCCE
Cahokia	CO STATE OF	67206	12 017	13 STATE	14 ZIP CODE
III. PREVIOUS OWNERS) (Les most recom nette			IV. REALTY OWNER(S) IT ADDRESON: TO	t mast recent hrist)	
H.H. Hall CONST. CO	(' '	RBBMUN B+C	OI NAME		02 0+6 NUMBER
Falling Sorwas Ro	₹ .	04 SIC CODE	CO STREET ADDRESS (# 0. SOL AFO # ME.)		04 SIC CC0
Cahokia	COSTATE OF	62206	CS CITY	OS STATE	07 ZP CODE
O1 NAME	02.0	R38MUN B+C	OI NAME		02 0+8 NUMBE
03 STREET ADGRESS (P.O. Sol. AFO 4. He.)		04 SIC CODE	03 STREET ADDRESS (P. O. Ser. RED 4. ere.)		04 SIC COD
os city	OS STATE OF	ZP COOE	ds CITY	QG STAT	07 ZP CCG€
OI NAME	02	RABMUN 6+0	OI NAME	<u> </u>	02 0 +8 NUMBE
OS STREET AGORESS (P. Q. Sea. APO P. are.)		04 SIC CODE	OJ STREET ADDRESS (P. O. Bot. AFD P. ME.)		04 SIC GOO
OSCITY	GOSTATE Q	7 ZIP COCE	os city	OB STATE	07 ZIP COCE
V. SOURCES OF INFORMATION (CIO MORE		. Malé féas, Sarrière aftere	36, 1000/75		<u> </u>

EPA FORM 2070-13 (7-81)

\$EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 9 - GENERATOR/TRANSPORTER INFORMATION 1. IDENTIFICATION OI STATE 02 SITE NUMBER SEE CERCLIS					
II. ON-SITE GENERATOR						
01 NAME		02 D+8 NUMBER				
03 STREET ADDRESS (P. O. dez. AFO e. erc.)		04 SIC CODE	7			
05 CITY	OB STATE	07 ZIP CODE	7			
III. OFF-SITE GENERATOR(S)	!	<u> </u>				
See table 2-2 in		02 0+8 NUMBER	01 NAME		12 D+8 NUMBER	
03 STREET ADDRESS (P.O. BOX. AFD + MC.)		04 SIC CODE	O3 STREET ADDRESS (F O. Box, AFD # etc.)		04 SIC CODE	
OS CITY	OS STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE	
01 NAME		02 D+B NUMBER	01 NAME		02 D+8 NUMBER	
03 STREET AODRESS (P.O. You, AFO P. MC.).		04 SIC CODE	03 STREET ADDRESS (P.O. BOS. RFD P. erc.)		04 SIC CODE	
05 CITY	06 STATE	07 ZIP CODE	OS CITY	06 STATE	07 ZIP CODE	
AL TRANSPORTERIES		L	<u> </u>			
IV. TRANSPORTER(S)		02 0+8 NUMBER	101 NAME		02 D+8 NUMBER	
Waggoner Trucking			Sauget and Comp			
OS STREET ADDRESS IP O. BOL. AFO P. MON		04 SIC CODE	03 STREET ADDRESS (P.O. BOX, AFD P. OIC.)		04 SIC CODE	
OS CITY	O6 STATE	07 ZIP CODE	OS CITY	06 STATE	07 ZIP CODE	
OI NAME RUGAL Trucking	:	02 0+8 NUMBER	Roger's Cartage		02 D+8 NUMBER	
Ruan Trucking 33 STREET ADDRESS : P.O. BOX. APO. W.		04 SIC CODE	O3 STREET ADDRESS (P.O. BOLL AFO P. PIC.)	1	04 SIC CODE	
OS CITY	06 STATE	E 07 ZIP CODE	Falling Springs Ro	06 STATE	07 ZIP CODE	
V COURCES OF MISSESSEES		1	Sauget	116	<u> </u>	
V. SOURCES OF INFORMATION ICTION IEPA files for Sou E+E report May	nget/Co					

-	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES

L IDENTIFICATION

01 STATE 02 SITE NAMBER

See CERCLIS

PART	10 - PAST RESPONSE ACTIVITY	ies See Cerelis	<u> </u>
AST RESPONSE ACTIVITIES			
01 C A. WATER SUPPLY CLOSED	02 DATE	03 AGENCY	
04 DESCRIPTION		•	
01 T B. TEMPORARY WATER SUPPLY PROVIDED	O2 DATE	03 AGENCY	
04 DESCRIPTION	UZ DATE	US AGENCY	
01 C. PERMANENT WATER SUPPLY PROVIDED	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 C Q. SPILLED MATERIAL REMOVED	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 B E. CONTAMINATED SOIL REMOVED 04 DESCRIPTION	02 DATE	03 AGENCY	
See Part 11			
01 T F WASTE REPACKAGED	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 T. G. WASTE DISPOSED ELSEWHERE 04 DESCRIPTION	O2 DATE	03 AGENCY	
o- decora nor			
01 C H ON SITE BURIAL	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 □ I. IN SITU CHEMICAL TREATMENT	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 C J. IN SITU BIOLOGICAL TREATMENT	O2 DATE	03 AGENCY	
04 DESCRIPTION	VE UNIT		
	·		
01 C K. IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY	
01 C L ENCAPSULATION	02 DATE	03 AGENCY	
04 DESCRIPTION			
01 C M. EMERGENCY WASTE TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY	
01 @ N. CUTOFF WALLS	02 DATE	03 AGENCY	
04 DESCRIPTION			
	·		
01	RSION 02 DATE	03 AGENCY	
•			
01 C P. CUTOFF TRENCHES/SUMP	02 DATE	03 AGENCY	
04 DESCRIPTION			
			<u></u> .
01 C Q. SUBSURFACE CUTOFF WALL Q4 DESCRIPTION	02 DATE	03 AGENCY	

•	
3	$\square\square$

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES

	TIFICATION
01 STATE	02 SITE NUMBER
See	CERCLIS

	PART 10-PAST RESPONSE ACTIVITIES	
ST RESPONSE ACTIVITIES		
01 C R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	O2 DATE	03 AGENCY
01 T. S. CAPPING/COVERING 04 DESCRIPTION	O2 DATE	03 AGENCY
01 C T BULK TANKAGE REPAIRED 04 DESCRIPTION	O2 OATE	03 AGENCY
01 C U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	O2 DATE	03 AGENCY
G1 T V. BOTTOM SEALED 04 DESCRIPTION	02 DATE	03 AGENCY
01 I W GAS CONTROL 04 DESCRIPTION	02 OATE	03 AGENCY
01 T X. FIRE CONTROL 04 DESCRIPTION	02 DATE	O3 AGENCY
01 C Y. LEACHATE TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 Z. AREA EVACUATED 04 DESCRIPTION	O2 DATE	03 AGENCY
01 1. ACCESS TO SITE RESTRICTED	02 DATE	O3 AGENCY USEPA
Fences have been ered	cted around CSB, SiteG, Si	te M
01 T 2. POPULATION RELOCATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 _ 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE	03 AGENCY

III. SOURCES OF INFORMATION (Cre specific references, e.g., sizes Mes, service energies, reporter

IEPA files for Szuget/Cahokia Dood Creek Sites E+E report May, 1988



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT **PART 11 - ENFORCEMENT INFORMATION**

I. IDENTIFICATION 01 STATE 02 SITE NUMBER
SEC CERCLIS

II. ENFORCEMENT INFORMATION

01 PAST REGULATORY/ENFORCEMENT ACTION & YES 1. NO

02 DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

Consent Decree was administered for Cerro Copper to remove contaminated soils and sediment at Dead Creek Seg A. Cerro Copper spent 13.1 million dollars to remove 27,500 Tons of west to TSCA + RCRA permitted facilities

Satisfies 2 of 3 requirements of an effective removal

i) wastes removed off site (OK)

i) wastes taken to approved RCRA/TSCA regulated facilities.(OK)

3) work plan was submitted (may 86) prior to Consent decree telecn-up (timely Ness)

III. SOURCES OF INFORMATION (Cite so

Site Investigation/Feasibility Study for Creek Segment A June 1990 The Advendt Group, Inc.

APPENDIX D
TARGET COMPOUND LIST

TARGET COMPOUND LIST

Volatile Target Compounds

Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane 1,2-Dichloroethene (total) Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane

1,2-Dichloropropane cis-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane Benzene trans-1,3-Dichloropropene Bromoform 4-Methyl-2-pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene Xylenes (total)

Base/Neutral Target Compounds

Hexachloroethane bis(2-Chloroethyl)Ether Benzyl Alcohol bis(2-Chloroisopropyl)Ether N-Nitroso-Di-n-Propylamine Nitrobenzene Hexachlorobutadiene 2-Methylnaphthalene 1,2,4-Trichlorobenzene Isophorone Naphthalene 4-Chloroaniline bis(2-chloroethoxy)Methane Hexachlorocyclopentadiene 2-Chloronaphthalene 2-Nitroaniline Acenaphthylene 3-Nitroaniline Acenaphthene Dibenzofuran Dimethyl Phthalate 2,6-Dinitrotoluene Fluorene 4-Nitroaniline 4-Chlorophenyl-phenylether

2,4-Dinitrotoluene Diethylphthalate N-Nitrosodiphenylamine Hexachlorobenzene Phenanthrene 4-Bromophenyl-phenylether Anthracene Di-n-Butylphthalate Fluoranthene Pyrene Butylbenzylphthalate bis(2-Ethylhexyl)Phthalate Chrysene Benzo(a) Anthracene 3,3'-Dichlorobenzidene Di-n-Octyl Phthalate Benzo(b) Fluoranthene Benzo(k) Fluoranthene Benzo(a) Pyrene Indeno(1,2,3-cd)Pyrene Dibenz (a, h) Anthracene Benzo(g,h,i)Perylene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene

Acid Target Compounds

Benzoic Acid
Phenol
2-Chlorophenol
2-Nitrophenol
2-Methylphenol
2,4-Dimethylphenol
4-Methylphenol
2,4-Dichlorophenol

2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 4-Chloro-3-methylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol Pentachlorophenol 4-Nitrophenol

Pesticide/PCB Target Compounds

alpha-BHC
beta-BHC
delta-BHC
gamma-BHC (Lindane)
Heptachlor
Aldrin
Heptachlor epoxide
Endosulfan I
4,4'-DDE
Dieldrin
Endrin
4,4'-DDD
Endosulfan II
4,4'-DDT

Endrin Ketone
Endosulfan Sulfate
Methoxychlor
alpha-Chlorodane
gamma-Chlorodane
Toxaphene
Aroclor-1016
Aroclor-1221
Aroclor-1232
Aroclor-1242
Aroclor-1248
Aroclor-1254
Aroclor-1260


Inorganic Target Compounds

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium

Manganese
Mercury
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Cyanide
Sulfide
Sulfate

APPENDIX E

WELL LOGS



RESIDENTIAL AND INDUSTRIAL WELL LOCATIONS IN THE DCP AREA

The following is an explanation of the ISWS Frivata Well Database Printout.

191 02111 100 110 11 PURHS HACKER 021098 (X) 2935 16 L 00 0

Field
Columns Langth Name Description

1-3 3 FIPS County Code Number

FIPS means Federal Information Processing System and is a Federal number to designate a county.


4-8 5 SGS County number

SGS County number is the Geological Survey ID# that is assigned as an internal identification number.

9-18 10 Location Township columns 9-11
Range columns 12-14
Section columns 15-16
Plot columns 12-18

The location system uses the township, range, and section. The location consists of five parts: county, township, range, section, and coordinate within the section. Sections are divided into rows of 1/8-mile squares. Each 1/8-mile square contains 10 acres and corresponds to a quarter of a quarter of a quarter section. A normal section of 1 square mile contains 8 rows of 1/8-mile squares; an odd-sized section contains more or fewer rows. Rows are numbered from east to west and lattered from south to north as shown in the diagram.

St. Clair County T.2N., R.10W. Sec. 23



The location of the well shown above is STC 2N10W-23.4c. Where there is more than one well in a 10-acre square they are identified by arabic numbers after the lower-case letter in the well number.

Columns	Field Length	Name Description
93-94	2	Well type - A two letter code indicating the type of well Blank - Assumed drilled BD Bored and dug DU Dug (being phased out) DR Driven SP Sand point SG Spring
95.96	2	Aquifer type - A two latter code indicating aquifer type Blank - Undeterminable BR Bedrock UN Unconsolidated

The data in the Private Well Inventory Database is a listing of those non-municipal wells which are known to the Illinois State Water Survey (ISWS). This information has been entered verbatim from well logs submitted by the driller, from chemical analysis reports, from well sealing forms or well inventory forms from the 1930-34 well survey and other special projects. The accuracy of this data is controlled by those who submitted the form. Information in the private well database has not been field verified.

Columns	Field Langth	Name	Description
19-48	30	Owner	
49-68	20	Driller	
69-75	7	Date	Month columns 69-70 Day columns 71-72 Century columns 73
	ů.		Year columns 74-75
76	1	issued permit Mins only irri P Publ supp E EPA N No f	s and Minerals (after 1988 observation wells and gation wells) ic Health - all non-community lies - Community supplies
	_		
77.82	6	Permit number	
83-86	4	Depth (in fact)
87-90	4	Record type •	Indicates paper source that documents the well exists, since records were collected before well log submittal was required.
		L Log	davit
			davit ical analysis
			ntory
		,,	cates comment in owner field thing unusual
91-92	2	Well use -	A two letter code indicating the usage of the well
	•		ercial
			ervation
		DO Dome IN Indu	stic strial
			gation .
			toring
			cipal
			Community
	•		rvation
	•	PK Park SG School	•
	,	SC School ST State	
		OT BUT	-

163	OLNOWOATE ALLINER E		3 66 2760000	žš
163	CINCSNOS JC RR A YARD	LAYNE MESTERM		5
163	OINOTNOBIABARBEAU E	DONAMAN	0901977H065458207 L	2
163	h real collust a	מ סאירו	0911974R032393140 L	2
163	OINOGROBJEPIAT E		0000543 27 C	2
161	02%04%07SDC1%CLE PKS CC	KATSON	0200942 120 L	5
191	PXS	רתיש	112	5
163	X	E23		5
143				3
163	32		0000000 100 [č
:43	g. X	Butter	0421959 116 L	25
143	9X 63	LATKE RESTERN	0000958 106 1	5
163	PXG	FIRAKK	7 001 2567250	ద
197	8. 8.	C.C.XX	0304954 106 LC	5
153	<u>nznojnotzfhunter pks co</u>		2 911 2+50000	ឌ
297	OZNOSWOS ZAPE IZER	LAYKE HESTERN	0914572M015352115 L	5
163	OZNO9NOBTAPFILER	RUESTER	X109867	5
₽ >	OZNOSNOSNPENN RR LAKE RGAD HOUSE	XOS LOS		5
163				යි .
153		KATSON		5
291				5
} • • • • • • • • • • • • • • • • • • •				5 8
165				5 8
163			0000943 1Z# C	5
16326591	632659102NO9HIGIEFREEDON CONCRETE	ST CH DRILL	1208987#137981100 L	5 ;
163	OZNO(NISTASCHRANI J		7 86 7568060	ដូច
163	OZKOGNIE		0000930 110 C	g
163	02X09W15 JONES PK		0000954	ž
193	OCHOSTICATE ST LOUIS CASTINS			5
153	OZNOWI68SWATERLOD ICECREAN	KDSL4X	0909939 59 L	5
163	OZNOTHITZBAR ASPHALT ROOFING	#P1203	0200947 105 L	5
163	DENOTRITED ASPIRALT ROOFING		0000939 113 LC	5
163	OZNOPKI73FE ST LOUIS PK DIST		2 011 0260000	. <u>Ж</u>
163	PAIAT	THORPE	0800929 117 L	5
163	PAINT	LAYPE WESTERN		5
₽9	PATHT	1400.E		చే చ
163	TKI KG	THORSE		5
163	PAINT	THOOPE		5
163		LAYYE KISTERN		5
163	ODENOGRITTIONS DEINI CA			5
193	02X09&177HPF1ZE3	THORPE		E 2
163			0000949 84 0	5 8
S 165	OZNOWAL BY CREATER CONTROL OF THE CO			5 2
163		אונית מש	13 011	5 2
1652590	SCANGOSONAMIA TRABUSANDES UNICONO SECUNDADA PARA PARA PARA PARA PARA PARA PARA		10477460. 46604109 L	5 2
2	E -			3 8
707	OZNOVEJORENE NEDIAN EU OILOGEIGGENDIANE METO OGON		-	5 6
? F			•	5 5
207				5 සි
163				5
141	_		\$ 000 \$ 100 \$	æ
163		MATSCN	100094; 83 L	5
122	PSKOPKETICOOPP R	ST CH WILL	07279774043742214-L	#
35	-02N09H232F90PP-R	- KORREX		Ŧ
163	OZNOPHZSJHAM ZIRC CO		3 16	5
163	02N09N29 ALUMINUM ORE COO		1000940 I.215L	五
163	02HOPK2755IND TRACK SUP INC	KOKHEH	0119981M09811132 L	2

ETKEQ EST	62419X1038HAT STOCK YD		0000987	ນ <u>801</u>	5	
_	HII MISSOIRE ILL MATERIAL		0400943	115 L	5	
01370	#22 HONSAND CHEM	RANNEY	0806952	1 12 13	æ	
14T0137702N10922	MCXSANTO	RANNEY	0800932	47 1	2	
16301371C2N10822	HOXSANTO	RAHREY	0903952	 66	8	
163 02N10#23		KATSON	0400046	 	5	
	щ		0000043	106 €	5	
		HATSON	1200942	123 L	៊ី	
			0000997	101 A	H	
	W25 MOBIL DIL		0000087	10° A	Z;	
	出の発	EATSON	0000041	16 A	2K	
145 0ZH10825	A25 HOBIL OIL	X00L4X	00000	4 53	<i>7</i> :	
	W25 MOBIL OIL	********	0000946	92 A	凸	
	W25. MOBIL DIL	KD LODA	0000521	106 &	产	
163 02N10N25	M2S MOBIL DIL (PLANT CLOSED)	KATSCA	0000439	115 AX	×	
163 02N:0NZS	H25 HONSANTO CHEMITEMPORARY?	BARBATO	040498481116	S967 LX	2	
	(YEARDYEAR) CHEMOTORY (NEW TEXTOR)	8483410	040498411165968		23	
,	CIESSED.	8463470	0405784811156068	X7 8903	2	
	DISSESSED IN	8488410	041492111166168	\$168 LX	35	
	NSYSANTO	8488410	C414584M11146265	17 8329	교	
	MGNSANTO	PAREATO	0414984N11166368	6368 LX	굺	
	HCKSANTO	SARSATO	3414984#11165468	5468 LX	2	
	DINKENDE	BARBATC	0414984#1156553	17 8929	2	
	DINASACH	2A33AT0	999991118484116	X7 B999	2	
	DINASAUTO	BARBATC	041498431166768	4768 LX	ੜ	
, .	#5NEAKTO	8988410	0414984M11166858	\$858 LX	33	
	ロレスタランごと	94594TG	0414984311166968	XT 8969	20	
30E0:20 001	CLAYCACK	014044	0414984811167053	7053 LX	ล	
	DING SATE	E1 00004	04:4934#1167168	7166 17	2	
	TOTAL BUILDINGS	D 140 00	0.41.6984411167268	7283 LX	2	
	DENCE OF THE PERSON OF THE PER	11.20000	04:49848:14734B	73.68 1.2	2	
77831870 980174 77831870	TEL TWO	1186 H. 15	0702985811870189	9:89	8	
10000000000000000000000000000000000000	-		1217992810581984	1:984 L	5	
	- 5	; 9	1987120	107 4.6	72	
	The Transfer of the Control of the C	17.7.7.	959000	4:	25	
-		tuens:	200000		: 5	
		שרחלים	150000) - 2 Y	į <u>.</u>	
	OZNIÓNZSSESDEDNY DIE	KON KK	000000	J - 7	5 2	
	に見去り、自己をは死らた時代の決のこれにも		971000	1	2 2	
		SHOT	70:1140	1	K 2	
_		HURPE	15,000	5 S :	E .	
	m	XCS-LGH	600000	177	¥ ?	
		たつかい女子	000000	707	5 _. E	
	LEVIN MATHES	NES SUN	746057	J	5 2	
	N DESS	יייייייייייייייייייייייייייייייייייייי	044007) . ;;	į	
	FIDNES: KUBBER	たけの一大田	000000	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ž	
	RIDERS! KUSBER	MODERA	00000	7 7 7	: Z	
	OZNIGAZA MIDARKI NGORGA LU Abaraka Mindra Dibono ng		1007959	110 L	5	
190 052:	TENCHES ACCOUNT		0000947	105 C	×	
	AZZIOZZIJENICE WIEK PAKITZE		0000442	23 11	5	
	CHERC	WATSON	0000020	108	¥	
	AND SALESTAND OF THE SALES OF T		0000941	100 L	5	
	AND ST. LES O DESCRIPTIONS		070094:	102 L	5	
			9000973	(J	E	
			0000947		-	
			0300941	107 10	3. i	
	OCHI DKZ6 ZEMDNSANTO CHEM	MATSON	1460000	107	EK ;	
	The transfer of the second of	::				

23-2N-10W

100 1F 31	• • •	<i>,</i> ,
LOG OF WATER WELL American Jine & - Moneauto		
rty owner Writed Engineer + Court Lue, C.St. Howin	Well N	0. 6
d by H. L. Walson (Fandamilk)	Year M	N. 1940
Formations passed through	Thick-	Depth of Bottom
indic+ Med	15	15
ine sand	60	75
and water bearing formation	30	105
Quidrand to scapetine	2_	107
The state of the s		
Λ		
The same of the sa		
{Continue on back if necessary}	 	
- Charles		
	o	ft.
l with inch from 0 t	o	ft.
COUNTY HOWARD	0	1t.
hole below casinginch. Static level from sur	<u>. 3</u> 5	<u></u>
d capacity 1500 gal. per min. Temperatu		
r lowered toin, inh		
th of testhrsmin, Screen Cook		
120 Diam 16 Length 30' Bottom se	t at	
ship nameElev		ec <u>23</u>
ription of location	T	wp_ <i>→ ∧</i>
Tan Piow	R	ge_// W

		• • • • • • • • • • • • • • • • • • • •	
Trans.	LOG OF WATER WELL	·••.	• •
٠.,	11.400		7
	Property owner United Escarates, x4	Well N	0
	Drilled by Watron (Decretti + Carilas)	Year A	en 194
: • '	Formations passed through		Depth of Bottom
	Shirt		
	7.	45	50
	Line Sand	79_	
	Crave sand	25	75
	gravel	30	105
	<i>O</i>		
	COUNTY No. 1900		
	COUNTY No. ! 129.	}	
	[Continue on back if necessary]		
٠.	Finished int	·	ft.
	Cased withfrom 0 to		ft,
	andinchtromt		ft.
	Size hole below casinginch. Static level from surf	_33	<u>6"11.</u>
.]	Tested capacitygal, per min. Temperatur	`e	•F.
	Water lowered toftin. inhr	8	min.
	Length of test hrs min. Screen		
.	Slot 40 + 50 Diam 6" Length 30' Bottom set	at	
4:	(Show location in Section	on Plat]	
	Township name Elev 40 V Topo		23
.	Description of location SE, SES (1), Taki, P. (1)	- Т	wp. 211
	Signed County State Geological Survey Index!	1 1	
	Prostlin by Bones marter her, 16 ac	•	
a ipir	Signed \ \\ \Darksightarrow \tag{\text{\text{\$\sigma} \text{\$\sigma} \$\sigm	4.1	

िक

LOG OF WATER WEI	LL .		•
y owner monerant, sell.		Vell No	<u>y</u>
by H. L. Water			0.1946
•		Thick-	Depth of
Formations passed through		N##	Bottom
umbo		20	20'
wick sand		30	50'
end		16	66
ed Sarid	1	10	76
'a log	· · · · · · · · · · · · · · · · · · ·	26	102
	102:		
[Continue on back if necess			
COUNTY No. 1927			ft.
with incl	from 0 t	0	ft.
andinchifro	mt	0	ft.
hole below casinginch. Static le	vel from sur	·	ft.
d capacitygal. per min.	Temperatu	ге	•F.
r lowered toin. in.	h	rs	min.
th of testmin. Scr	een Cock		
Diam. /6Length 30'	Bottom se	t at	ft.
	ocation in Sec		
Tahip name Elev		┼┤`	
ription of location F, F Sec. 23		†† ?	ľwp.≠✓
TON SINW		<u> </u>	Rge_ 16.10
ed County	St. Co		
Tan Bisw County County LAIR No County Index of Index I		23-21	4-10M

(Pa)			***	9	right)
	LOG OF WA	TER WEL	L,		
Property owner 2000		P		Well	No. 9'
Drilled by H. C. Wal	tion (9.W)	Finder)		Year	May. 1950
Forma	tions passed throu	igh		Thick	k- Depth of Bottom
mud					75
Sand	:			4/3	80
medium 30	nd			20	100
Sand + con				4	104
	1	TD=1			,
					:
					
	[Continue on bac	k if necessar	y]		
Finished in		8L			ft,
Cased withinch_	COUNTY No.	1928	from		ft,
andinch_		men e e front		ta	ft.
Size hole below casing					
Tested capacity	gal.	per min.	Fempera	ture	•F.
Water lowered to	ſt	in. in		hrs	min.
Length of test					
SlotDiam	Length_	(Show loca	Bottom	set at_ ection Pi	ft,
Township name	Ele	vv			Sec
Description of location	W, TF Se	٠ ٤٦	- -	- -	Twp_~~~

Signed County Signed County Signed County Index:

Rge_/oW

23-7"-10W

Applied to

TOR

folin C. Muore Corporation, Rochester, N. Y. Bluder and holes in leaves, each Patented 1906. 3021 y

23

TOWNSHIP MAP No. 4W 10W

v Union Electric Light and Power 00 ft. S. of North property Line at

ON Harbor Line HOLEN. 6 DATE DRILLED

Proj. 23

ļurijas ir l

Cahokia TOWNSHIP COMPANY Union Electric Light & Power FARM 100 ft. S. of N. property Line on Proj. AUTHORITY Eastern Inner Harbor Line. ELEVATION HOLR No. COLLECTOR DATE DRILLED

	Correct Anna	THICENE		Dayti	Ħ
_	COUNTY NO. STRATA	Past	IN.	Fret	L
	Water	35		35	١
	Sand, fine	5		40	1
١	Sand, coarse	10	İ	50	i
l	5% 2 in. gravel	1			l
	Sand, coarse	15	l	65	ł
	15% 1/8 in. gravel Sand, coarse				
ŀ	Sand, coarse	12		77	Į.
l	20% 1 1/2 and 10% 1/8 in. gravel	1			
	1/8 in. gravel	1	į		
ŀ	<i>C</i>				1
I]			ı
l		1 1	ļ		ł
١	•		ŀ		1
l		i 1	į		l
l]			١
l]		1
l				ů.	
l		1	1		
l	· ·	,			-
ļ		,	1		1
l			İ	•	Ì
١			1		1
l		1.			Ì
١			l		
I		1			
l		1			
			ļ		1
			- 1		١
	·				
		} i			
		1			
		1	. [1

STRATA	THICKNESS	DEPTH	Dupth	
COUNTY NO. / TATA	Fart In		In.	
ator	16	16		
and, fine	12	28		
and coarse	10	38		
and, very coarse	10	48		
1/2 in. gravel		'		
ind, coarse	27	75		
nd, coarse	4	79		
5% 1/2 in. gravel	. [•	
ind, coarse	4.	89		
25% 1/8 in. gravel	·			
ind, quarse	3	92		
10% 3 in. gravel				
and with gravel	12 8	104	8	
nus 76.06 rock				
		1		
	1 1	1		

LL RECORD

Index No. MCNOS SHProjected 23-2N-10W ounty

. DRILL RECORD

Index No.

: isi

State Sec

ILLINOIS GEOLOGICAL SURVEY, URBANA

				_ ::
T # NF 08825	Thickness	Top	Sottom	- -
test hole was first drilled to a oth of 111', then filled in with id and later re-drilled with a ger bit. Both records follow.				
sand brown sand gray m sand gray m sand gray se sand gray with pea gravel se sand gray with pea gravel coarse sand gray with pea gravel coarse sand gray with 2" gravel coarse sand gray with 2" gravel coarse sand gray with 2" gravel coarse sand gray with 2" gravel coarse sand gray with 2" gravel coarse sand gray with 2" gravel RECORD		0 12 22 31 42 52 57 62 87 92 97 102	11 21 30 41 51 56 61 86 91 96 101 104 111 TD	
coarse gray coarse gray with gravel fine coarse gray with gravel coarse gray with gravel coarse gray with 1" gravel coarse gray with 1" gravel coarse gray with 3/4" gravel		55 65	18 20 25 30 35 40 45 60 70	processing the second s

Luhr Brothers, Inc.

Cerro Copper & Brass Co. NO. 1 LED July 10, 1970 COUNTY NO. 3208

Company

100

1000' N line, 400' W line of NW ST. CI R

26-2N-10W

Marie :

ILLINOIS GEOLOGICAL SURVEY, URBANA

1.5

2 () Top

	Thickness	Top	Bottom
Sand very coarse gray			75
Sand very coarse gray with cobbles to 5"	-	80	110) TD
Well Casing: Material - Steel coated with bituming Diameter: 20" outside diameter Length - 78.73" Wall Thickness075	us		10
Final Casing Elevation Above Grade: 1			
Size of Drilled Hole: 40" to 20' 38" to bottom			
Well Screen:]	•
Material - Stainless steel #304 Diameter - 20" nominal Length - 31.82 Slot Size100		·	
Type Make - UOP Johnson			
Depth of Screen set at 110.55'			
Gravel Filter: Used 23 tons Muscatine, 1/16" - 3/16" No. 3		·	
Wall Thickness — 8½" Feet Above Screen — 26'			
Static Level: 23.86			,
S.S. # 57106.			

Luhr Bros., Inc. ST. CLAIR

Cerro Copper & Brass Co 26-2N-10m

\$ \$. . . · .

26-21 .OW

ILLINOIS GEOLOGICAL SURVEY, URBANA

	Thickness	Top	Bottom
·	1'6"		1'6"
	34		3516"
	6		41'6"
ravel	24		6516"
& sand & boulders	13		8416"
a bouldars	51611		90
gravel & boulders	18		108
1 1400 gallons per minute.			
stands 12'6" from surface of g	round.		
stands 26'6" when pumping 1400 lons per minute.			
of well 24".			
bic yards of gravel.			
ial used in well: of 38" Pit, '8" of 24" which includes 58' o utter Screen & 48'4" of 24" Pit	of 24"		
of seal used Steel Plug.			
	ľ		
•			1
	,		
	1		·

Layne & Bowler Company Monsanto Chemical Works NO. 1 **COUNTY NO. 1741** LLED May 8, 1920 Layne & Bowler Co.

Magical Control

PATRICIO State Geological Survey

4101 ±

ST. C

R

1990

Projected 26-2N-10W

100	OF	WA	TED	WELL	

(333)

LOG OF WATER WELL		Lest well
Property owner Monsanto Cham. Co.	Well	No.
Drilled by Lagry - Westing (F. Sally)	Year	7.6.1948
Formations passed through	Thick	c- Depth of Bottom
Soil Fill	الأ	5
Cindro, Ples, grun day Cindro, Ples, grun day Cindro + fine black soul	3	15
Time bladd vand + clay med gray:	سی ا	20
From black mustay trend want 5 get Eds	20 20	145
Coore gran Jana Jana Line, particular for forms and bullings	1 20	-60,
Find wavel, placed up much fine to	-676 a	74
- /		80
Parked sand, gravel + Boulders		
Sand + boulders	- 9	102 TD
[Continue on back/it mecessary]		_!
Finished in COUNTY No. 1941	to:	ft,
Cased with inch	om 0 to	ft,
andinchfrom	to	ft.
Size hole below casinginch. Static level from	n surf	ft.
Tested capacitygal. per min. Temp	erature	•F.
Water lowered toftin, in	hrs	min.
Length of test hrs min. Screen		
Slot Diam Length Botto		
Township name Elev. 4'10		Sec 26
Description of location SW NF See. 36	X	Twp V
· ' '	- - -	Rge /OU
TON RIOW		***************************************

* 1000

ILLINOIS GEOLOGICAL SURVEY, URBANA

Strate	Thickness	Тор	Boltom
iish sandy and blue silt	•	0	15
y sand little silt		15	20
ey sand		20	25
ie and grey sand		25	30
ne grey sand		30	35
ne grey sand and blue silt	:	35	1 40
ne blue and grey sand		40	45
recovery wash samole. Fine blue			İ
and grey sand		40	50
recovery wash sample. fine blue		i	
and grey sand.		50	55
ne blue sand, No recovery		55	60
18 sand and wood no recovery		60	65
by and blue sand. No recovery		65	70
he blue sand. No recovery		70	75
ne blue sand. No recovery		7 5	80
dium blue sand. No recovery		80	85
xed grey and blue sand no recovery		85	90
ked grey and blue sand. No recover	·y	90	95
ked blue and grey sand. Could not			1
rive sample Barrell. Felt like			j
gravel		95	100
ie and grey sand. No spoon sample		<u>.</u>	
baken.		100	105
ie and redish sand. no spoon samp	Se !		
aken. Drove casing to 110 4" A Se			
yell screen at 108°11". Could not			l
iny deeper as sand was running und	r	• • •	١
casing.		105	110
:al Depth	-		110'4"
cation plat filed.			TD
5.# 29900			
3171 81 1770	1		l

Wabash Drilling Co. Monsanto Chemical Co. NO. SR.2 LED November 1956 COUNTY NO. 1987

promise of

Wabash Drilling Co. 412/5° refusal (MSL) 6881W30£ 38° ST. CL . tude, 4310 H Projected 26- 2N-10W

	<	:	1.	l.	Bufe ely)
	;) LT	[1]		OC.
į.			V(NF	July .

Photo 1F.88 :2:31)

\$6800000

4.6

Cattle of Cattle LOG OF WATER WELL	_	
Property owner Roseanto Chine. Co. (Ment'B")) Well No	12
MA A	Year	
Formations passed through	Thick- ness	Depth of Bottom
nolos	70	
Fin shood Character Sand & gravel	5	25
Coard sand ramvel	سی	85
и	5	90
17 so so by	5	95
27 -9 49 H	5	100
Sand + gravel	سی	105
7	.5-	110
7 est-bouldes	2_	112
[Continue on back if necessary] Finished in	0	·
Cased with inch inch 0 t	0	ft.
andinchfromt	مـــــــــــــــــــــــــــــــــــــ	ft.
Size hole below casinginch. Static level from surf	39	6 4 1t.
Tested capacity 1250 gal. per min. Temperatur	ге	•F.
Water lowered toftin. inh		
Length of test hrs. min. Screen filest	ep-L	<u></u>
Slot 60-80-10 Diam. 16 Length 27 = Bottom set [Show location in Sect	at	ft.
Township name Elev.		
Description of location SE NE Sic. 26.	X T,	wp_ <u>J. //</u>
TON RIOW	R	ge /0 (4)
Signed County County The County From Property of Illinois State Geological Survey Index:	11.21.	
T. CLAIR py for Illinois State Geological Survey Index:	26-2	NO M

istantini

and a

LOG OF WATER WELL		#17
rty owner Moranto Ches. Co.	_Well N	<u> </u>
1 by H. L. Watern (Walg)		1941
Formations passed through	Thirk-	Depth of Bottom
ile	10	10
ud	8	18
ellow sand	10	28
ray sand (getting crever)	35	63
to sand	سحر	75
40 gravel	5	
50 "	5	88
60 "	17	105TI
<u> </u>	·	
[Continue on back if necessary]	to	ft.
with inch from 0	to	ft.
andinchfrom	to	ft.
ole below casinginch. Static level from sur	1 <u>3</u>	<u> </u>
capacitygal. per min. Temperatu	re	•F.
lowered toftin, inh		
h of testhrsmin. Screen Ark.	ren	٠
40 Diam 16 Length 30 Bottom se		
Show location in Sec		2/6
 - - 	x 	
ption of location SW, NF Sec. 16,	_ _	wp
Tan Riow Trim by Growin water Divide] R	ge_/31J

ological Survey ENV Findex

LATR for Illinois Stat

LOG OF WATER WELL

	Formations passed through	Thick-		
	Cinder + clay fill	Z	Bottom 72-	
	Brown band	14	16	
	Somme Sit sand	Z.	18	
	Med gray sand	- 2. 7	95	
-	The file claming gray sand		5-5-	
· ·	med chara sand + grapel, much - rotten word	6	67	
	Black med sand, some gravel	7	73	
-	Coard Jand + gravel	ź_	75-	
. #" 	Course from sand		e	
		5	80	
· -	med. bornish gray sand + bouldes	4	84	
_	Corner gray sand	10	90	
	" + gravel			
, , , -	[Continue on back if necessary]	18	108	
F	inished in	·		
	COUNTY No 19 151	<u> </u>	1t.	
C	ased with inch inch to to		ft,	:
	andinchto			
_			1t.	
3	ize hole below casinginch. Static level from surf.		ft.	
T	ested capacitygal. per min. Temperature		• T P	
	ater lowered to 1t. in in hrs	10	min.	:
Le	ength of test hrs min. Screen Short	les		
	•			
ນເ	ot Diam Length 25 Bottom set	at	ft.	
ጥ/				
		_X Se	<u> </u>	
De	escription of location NE. N.F. Scr. 26		<u> </u>	
	· 1 1 1 1	- 1	-	:
	T 2N, R10 W	Rg	e /o : i)	
ger en	gned County 4 CC CLATR of Inlinois State Geological Survey ENKELONE Index:			


thatism Califin Oual. LOG OF WATER WELL

ty owner Richard Lutter Lealaining Co	LWell N		
1 by Horas (Margan)	_Year	?	
Formations passed through	Thick-	Depth of Bottom	
nly soil	27	27	1
ver silt	8	35	7
are sand + sea gravel	8	43	a de la compa
E fine oand & silt	2/	64	
ing over ound	6	70	
ere sand, wood, veg, de.	11	81	
14 corpe and	5	86	
my coarse sand + gravel	28	114	
[Continue on back if necessary]	ta	ft,	
with inch COUNTY No. 1938 from 0	to	ft,	
		ft.	
ole below casinginch. Static level from sur	1_25	6" st.	
l capacitygal. per min. Temperatu			
lowered toftin, inh	rs	min.	
h of testhrsmin. Screen	-		
DiamLengthBottom se	et at	ft.	÷
Show location in Sec		ec. 26	·.
	- ~	wp 2N	
ption of location			
tion by Essen Sure Tim har Significant		Re 10M	
County	6-2N-	I OW	post constant

100 CO (100)

Secretary and the second	4.19		પ ્રાપ્ત	****	Ø.
Car me. Lather	LOG OF	WATER WEL	L Celaur	nng	
Property owner	LOG OF	t Cull	lev. Co	Well No	<u>.3</u>
	we (m				
Drilled by			<u></u>	Year Thick-	Depth of
	Formations passed t	hrough		ness	Bottom
Hardy	ill		, , , , , , , , , , , , , , , , , , ,	3	3
Finell	ng sand	+ silt	<u></u>	34	37
	I sand			14	51
mus lovo	vol sand	dit		11	62
1	ing sand		in grand	9	71
	vare so	A //	U	23	94
	sand +		70	8	102
i .	dans a	1		10	112
	·				
	[Continue on	back-it-recessal	F)	•	
Finished in		110.19.39	_ '	0	ft,
Cased with	inch		from 0 t	0	ft,
and	inch	from	tt	a	ft.
Size hole below ca	singi	nch, Static leve	el from sur	35	. <i>'</i> /8 ft.
1	····			7	
Water lowered to.	fţ	in. in_	h		min.
Length of test	hrs	min. Scree	n	-	
SlotDie	amLeng				
		-	ation in Seci	ion Plat	
lownship name		_Elev	· 	s	2 Y)
Description of local	tion		· - - -	 Т	wp.~~
	Tr	1:2 1 12		R	ge 10 W
Signed.	Drawer Land	_County_	11 Cla	IJ.	
Stattalk	le Geological Survey	Index:	21	5-2N-	TOM

APPENDIX F IEPA SITE PHOTOGRAPHS



DATE: March 27, 1991 TIME: 10:00 AM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 1 LOCATION: Walter Allen residence, 101 Walnut St. Cahokia, IL, (G205) PICTURE TAKEN TOWARD: __E COMMENTS: The 17' well is used for large garden and greenhouse watering. PHOTO # 2 toward the NE DATE: March 27, 1991 TIME: 10:00 AM DATE 7/1 TIMEOU SAMPLE GZOS PHOTOGRAPH TAKEN BY:___ W HEY WELL Timothy J. Murphy PHOTOGRAPH NUMBER: 3 LOCATION: Walter Allen residence, 101 Walnut St., Cahokia, IL, (G205). PICTURE TAKEN TOWARD: NW OMMENTS: The Allen well is ext to Site M and at the 1 of Dead Creek Segment

4-3 SSI: Sauget Sites Area #1

TIME: 10:40 AM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 4 LOCATION: John Ballett residence, 3300 Falling Springs Rd. Cahokia, IL, (G203) PICTURE TAKEN TOWARD: N COMMENTS: The 20' (approx.) well is used for garden watering. DATE: March 27, 1991 TIME: 10:40 AM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 5 LOCATION: John Ballett residence, 3300 Falling Springs Rd. Cahokia, IL, (G203) PICTURE TAKEN TOWARD: NW

COMMENTS: Next door

neighbor also has well

with past drinking use

(N. Johnson).

DATE: March 27, 1991





DATE: March 27, 1991 TIME: 11:25 AM PHOTOGRAPH TAKEN BY: Timothy J. Murphy PHOTOGRAPH NUMBER: 6 LOCATION: William Settle residence, 102 Judith Ln., Cahokia, IL, (G201). PICTURE TAKEN TOWARD: E COMMENTS: The 26' well is E of the Wright residence next to Dead Creek Segment DATE: March 27, 1991 TIME: 11:25 AM PHOTOGRAPH TAKEN BY:_____ Timothy J. Murphy PHOTOGRAPH NUMBER: _____7 LOCATION: William Settle residence, 102 Judith Ln., Cahokia, IL, (G201). PICTURE TAKEN TOWARD: NW COMMENTS: He uses his well

ocassionally for drinking.

DATE: March 27, 1991

TIME: 11:55 AM

PHOTOGRAPH TAKEN BY: ______

Timothy J. Murphy

PHOTOGRAPH NUMBER: _____ 8

LOCATION: William Schmidt

residence, 104 Judith Ln.,

Cahokia, IL, (G202).


PICTURE TAKEN TOWARD: ____ N

COMMENTS: ____ The 49' well is

E of the Settle well (G201)

about 350' E of Dead

Creek Segment C.



TIME: 11:55 AM

PHOTOGRAPH TAKEN BY: ______

Timothy J. Murphy

PHOTOGRAPH NUMBER: 9

LOCATION: William Schmidt

residence, 104 Judith Ln.,

Cahokia, IL, (G202).

PICTURE TAKEN TOWARD: NW

COMMENTS: He used his well

in the past for drinking,.

he now waters grapes/grass

and garden with the well.

DATE: March 27, 1991



4-6

PHOTOGRAPH TAKEN BY: Timothy J. Murphy PHOTOGRAPH NUMBER: 10 LOCATION: Old Prairie Dupont Creek in Cahokia, IL, (X114). PICTURE TAKEN TOWARD: SE COMMENTS: The location is approximately 2000' downstream of the Dead Creek inlet. DATE: <u>March 27, 1991</u> TIME: 3:45 PM PHOTOGRAPH TAKEN BY: Timothy J. Murphy PHOTOGRAPH NUMBER: 11 LOCATION: Old Prairie Dupont Creek in Cahokia, IL, (X114).

PICTURE TAKEN TOWARD: E-NE

COMMENTS: Old Prairie

Mississippi River.

Dupont Creek flows into

the Cahokia Chute of the


DATE: March 27, 1991

TIME: 3:45 PM





DATE: March 27, 1991 TIME: 4:15 PM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 12 LOCATION: N of Old Prairie Dupont Creek and W of Dead Creek in Cahokia, IL. PICTURE TAKEN TOWARD: N_ COMMENTS: The air-borne particulates were heavy on this day. DATE: March 27, 1991 TIME: 4:25 PM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: ____13 LOCATION: Old Prairie Dupont Creek and Dead Creek in Cahokia, IL, (X113) . PICTURE TAKEN TOWARD: E COMMENTS: Dead Creek flows under the 500 year levee prior to entering the Old Prairie Dupont Creek.





4-8 SSI: Sauget Sites Area #1

DATE: <u>March 27, 1991</u>
TIME: 4:40 PM
PHOTOGRAPH TAKEN BY:
Judy Triller
PHOTOGRAPH NUMBER: 14
LOCATION: Old Prairie
Dupont Creek in
Cahokia, IL, (X112).
PICTURE TAKEN TOWARD: E
COMMENTS: The location is
approximately 200' up-
stream of the Dead Creek
inlet.
DATE: March 27, 1991
TIME: 4:40 PM
PHOTOGRAPH TAKEN BY:
Judy Triller
PHOTOGRAPH NUMBER: 15
LOCATION: Old Prairie
į
Dupont Creek in Cahokia, IL, (X112).
PICTURE TAKEN TOWARD: E
COMMENTS: Old Prairie
Dupont Creek flows into
the Cahokia Chute of the
Mississippi River.






DATE: March 27, 1991	
TIME: 5:00 PM	
PHOTOGRAPH TAKEN BY:	
Timothy J. Murphy	
PHOTOGRAPH NUMBER: 16	
LOCATION: Dead Creek wet-	
land area in Cahokia, IL.	
PICTURE TAKEN TOWARD: E-NE	
COMMENTS: The large wetland	
is located W of the	
village of Cahokia, X111	n e
was collected here.	
DAME: March 27 1001	
DATE: March 27, 1991	
TIME: 5:15 PM	
PHOTOGRAPH TAKEN BY:	
Gred Spencer	:
PHOTOGRAPH NUMBER: 17	1
LOCATION: Dead Creek wet-	<i>ļ</i>
land area in Cahokia, IL,	
near X111.	
PICTURE TAKEN TOWARD: SE	

COMMENTS: Many small fish

were in the wetland, this

bluegill had something


wrong with its back.



4-10 SSI: Sauget Sites Area #1

DATE: March 27 1991
DATE: March 27, 1991
TIME: 5:30 PM
PHOTOGRAPH TAKEN BY:
Timothy J. Murphy
PHOTOGRAPH NUMBER: 18
LOCATION: Dead Creek wet-
land area in Cahokia, IL,
(X111).
PICTURE TAKEN TOWARD: E
COMMENTS: The location is
near the N corner of the
power line pole.
DATE: March 27, 1991
TIME: 5:30 PM
PHOTOGRAPH TAKEN BY:
Timothy J. Murphy
PHOTOGRAPH NUMBER: 19
LOCATION: Dead Creek wet-
land area in Cahokia, IL,
(X111).
PICTURE TAKEN TOWARD: E
COMMENTS: This location
appears to be the center
of Dead Creek running

through the wetland.





DATE: March 28, 1991 TIME: 9:05 AM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 20 LOCATION: Dead Creek at Parks College in Cahokia, IL, (X110). PICTURE TAKEN TOWARD: E-NE COMMENTS: The location is at the N culvert, between the Parks College parking lot/practice field and the classroom buildings. PHOTO # 21 toward the SE DATE: March 28, 1991 TIME: 9:05 AM PHOTOGRAPH TAKEN BY: Timothy J. Murphy PHOTOGRAPH NUMBER: 22 LOCATION: Dead Creek at Parks College in Cahokia, IL, (X110). PICTURE TAKEN TOWARD: NE COMMENTS: Dead Creek not very wide at this location.



4-12 SSI: Sauget Sites Area #1



DATE: <u>March 28, 1991</u>

TIME: 9:30 AM

PHOTOGRAPH TAKEN BY:

Timothy J. Murphy

PHOTOGRAPH NUMBER: 24

LOCATION: Dead Creek N of

Parks College in

Cahokia, IL, (X109).

PICTURE TAKEN TOWARD: E-NE

COMMENTS: Certain areas of

Dead Creek contained

coarser deposits, as is

the case at this location.




4-13 SSI: Sauget Sites Area #1

DATE: March 28, 1991 TIME: 9:50 AM PHOTOGRAPH TAKEN BY: Timothy J. Murphy PHOTOGRAPH NUMBER: 25 LOCATION: Dead Creek in Cahokia, IL, (X108). PICTURE TAKEN TOWARD: W COMMENTS: The location is near the VFW Hall at the S end of the culvert. DATE: March 28, 1991 TIME: __ 9:50 AM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 26 LOCATION: Dead Creek in Cahokia, IL, (X108). PICTURE TAKEN TOWARD: E COMMENTS: The culvert supports Edger St. as it passes over Dead Creek.





4-14 SSI: Sauget Sites Area #1



DATE: March 28, 1991
TIME: 10:15 AM

PHOTOGRAPH TAKEN BY:____

Timothy J. Murphy

PHOTOGRAPH NUMBER: 28

LOCATION: Dead Creek in

Cahokia, IL, (X107).

PICTURE TAKEN TOWARD: SE

COMMENTS: The sampler was

able to locate the same


hole in order to get

enough sample.



4-15 SSI: Sauget Sites Area #1

DATE: March 28, 1991
TIME: 10:50 AM
PHOTOGRAPH TAKEN BY:
Timothy J. Murphy
PHOTOGRAPH NUMBER: 29
LOCATION: Dead Creek in
Cahokia, IL, (X106).
PICTURE TAKEN TOWARD:E
COMMENTS: The location is
behind the repair garage
on Jerome St.
DATE: <u>March 28, 1991</u>
TIME: 10:50 AM
PHOTOGRAPH TAKEN BY:
Timothy J. Murphy
PHOTOGRAPH NUMBER: 30
LOCATION: Dead Creek in
Cahokia, IL, (X106).
PICTURE TAKEN TOWARD: E
COMMENTS: Sample collected
same as X107.





4-16 SSI: Sauget Sites Area #1

DATE: March 28, 1991

TIME: 12:00 PM

PHOTOGRAPH TAKEN BY: ______

Timothy J. Murphy

PHOTOGRAPH NUMBER: 31

LOCATION: H.E. Kirby

property, 144 St. James St

in Cahokia, IL, (X104).

PICTURE TAKEN TOWARD: NW

COMMENTS: The location is

on the SE side of the

property, purging G204

in the background.



PHOTOGRAPH TAKEN BY:

_______Timothy J. Murphy

PHOTOGRAPH NUMBER:
______32

LOCATION: H.E. Kirby

property, 144 St. James St
in Cahokia, IL, (X104).

PICTURE TAKEN TOWARD: NW

COMMENTS: The 30' well is
used occasionally for
drinking, gardening and
grass watering.

DATE: March 28, 1991

TIME: 12:10 PM



4-17 SSI: Sauget Sites Area #1

PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 33 LOCATION: J. Ballett property at 3300 Falling Springs Rd. in Cahokia, IL, (X103). PICTURE TAKEN TOWARD: NW COMMENTS: The location is at the NW corner of the front yard. DATE: March 28, 1991 TIME: 12:45 PM PHOTOGRAPH TAKEN BY:____ Timothy J. Murphy PHOTOGRAPH NUMBER: 34 LOCATION: J. Ballett property at 3300 Falling Springs Rd. in Cahokia, IL, (X103). PICTURE TAKEN TOWARD: NW


is Site H, Cerro Copper

Products and the Arch.

DATE: March 28, 1991

TIME: 12:45 PM





4-18 SSI: Sauget Sites Area #1



TIME: 1:00 PM

PHOTOGRAPH TAKEN BY: _____

Timothy J. Murphy

PHOTOGRAPH NUMBER: 36

LOCATION: W. Schmidt

property at 104 Judith Ln.
in Cahokia, IL, (X102).

PICTURE TAKEN TOWARD: SW

COMMENTS: The location is

the same propety where

G202 was collected.




4-19

DATE: March 28, 1991	ŗ
TIME: 1:15 PM	
PHOTOGRAPH TAKEN BY:	
Timothy J. Murphy	
PHOTOGRAPH NUMBER: 37	
LOCATION: V. Shepard	
property at 25 David St.	
in Cahokia, IL, (X101).	
PICTURE TAKEN TOWARD: NW	
COMMENTS: The location is	
in the back yard, N side	4
of the property. Time on	
Photo board should be 1:15	
DATE: March 28, 1991	
TIME: 1:15 PM	
PHOTOGRAPH TAKEN BY:	
Timothy J. Murphy	XXXXX
PHOTOGRAPH NUMBER: 38	
LOCATION: V. Shepard	
property at 25 David St.	
in Cahokia, IL, (X101).	
PICTURE TAKEN TOWARD: NE	14.00
COMMENTS: The location is	the state of

There is a golf ball

driving range in the back.






4-20

APPENDIX G FLOOD INSURANCE RATE MAPS

SDMS US EPA REGION V FORMAT- OVERSIZED - 5 IMAGERY INSERT FORM

The item(s) listed below are not available in SDMS. In order to view original document or document pages, contact the Superfund Records Center.

SITE NAME	SAUGET AREA 1						
DOC ID#	150584						
DESCRIPTION OF ITEM(S)	OVERSIZE SITE MAPS						
REASON WHY UNSCANNABLE	_X_OVERSIZED ORFORMAT						
DATE OF ITEM(S)							
NO. OF ITEMS	≬ a						
PHASE	SAS						
PRP							
PHASE (AR DOCUMENTS ONLY)	RemedialRemovalDeletion DocketAROriginalUpdate #Volume of						
O.U.							
LOCATION	Box # Folder # Subsection						
	COMMENT(S)						
OVERSIZED SITE MAPS							



FIRM FLOOD INSURANCE RATE MAP

VILLAGE OF SAUGET, ILLINOIS ST CLAIR COUNTY

PANEL 1 OF 3 (SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER 170635 0001 B

MAP REVISED:

JULY 9, 1982

Federal Emergency Management Agency

Areas of minimal flooding, (No studing)

Areas of undetermined, but possible, flood hazards,

FLOOD INSURANCE RATE MAP

VILLAGE OF CAHOKIA, ILLINOIS ST. CLAIR COUNTY

COMMUNITY-PANEL NUMBER 170620 0005 C

(ONLY PANEL PRINTED)

MAP REVISED: JUNE 27, 1980



U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT FEDERAL INSURANCE ADMINISTRATION

APPENDIX H SENSITIVE AREAS FORM

Brent Manning Dire⊶or

John W. Comerio Deputy Director Illinois



Bruce F. Clay
Assistant Director

LINCOLN TOWER PLAZA • 524 SOUTH SECOND STREET • SPRINGFIELD 62701-1787 CHICAGO OFFICE • ROOM 4-300 • 100 WEST RANDOLPH 60601

June 24, 1991

Mr. Tim Murphy
IL EPA/LPC
P.O. Box 19276
Springfield, IL 62794-9276

Re: ILD #980606982, 000672329, 000605790, 000722074, 000665836

Sauget Sites Area #2 Area #1 and Area # Z have the

Dear Mr. Murphy:

Same surface water route

In response to your June 10, 1991 request the Department has reviewed the proposed CERCLIS Sites (Sauget Area #2) in St. Clair County.

There are no sensitive areas on site, but there are several sensitive areas in the $0-\frac{1}{4}$ and $\frac{1}{4}$ to $\frac{1}{2}$ mile radius of the site and along the water path, both on the Illinois and Missouri Sides.

The Resource Inventory for the Mississippi River for the 178-162 River Miles (see attached information) shows fish spawning areas, commercial fishing areas, sport fishing areas, important wildlife habitat and bald eagle use at selected areas in this reach.

Also, during September, 1989 fish contaminant sampling we observed numerous (~ 100) 9-12 inch sauger using this area of the river between RM. 178-176. Large numbers of channel catfish and white bass were also observed. It is likely these species also use much of the 178-162 mile reach.

Thank you for the opportunity to comment. If you need further information please advise.

Sincerely,

Richard W. Lutz, Supervisor Impact Analysis Section

Division of Planning

RWL:ts

Att: sensitive areas form Resource Inventory maps

RECEIVED

JUN 2 6 1991 IEPA/DLPC

DEPHRIMENT OF CONSERVATION IDENTIFICATION OF ENVIRONMENTAL SENSITIVE AREAS


-= None in Area


000 665836 980606982 000672329 000605790

TARGET DISTANCE CATESTRIES

	SENSITIVE ENVIRONMENTS	On-site	0-1/4 mile	1/4-1/2 mile	stream milage
1.	Critical habitat for Federally designated or proposed endangered or threatened species				
II.	Habitat known to be used by Federally designated or proposed endangered or threatened species				*
III.	State wildlife refuge				
IV.	Spawning areas critical for the maintenance of fish/ shellfish species within a river system		*	*	*
٧.	Terrestrial areas utilized by large or dense aggregations of verbebrate animals for breeding	(_		*
VI.	Habitat known to be used by State designated or threatened species	1		-	*
VII.	Habitat known to be used by a species under review as to its Federal endangered or threatened status	(_	,
VIII	. State lands designated for wildlife or game management	_			*
IX.	State designated natural area	1			
х.	Particular areas, relatively small in size, important to the maintenance of unique biotic communities		_	-	

If any of the sensitive areas identified above exist within the designated target distance limits, please post an asterisk (*) in the appropriate column.





River Mile 177-182

Recreation

- 179.6(L) The East St. Louis Access contains bank fishing and a scenic view of Gateway Arch.
- 179.7(R) St. Leuis City Harbor (toat ramp and marina).
- 179.8(R) Jefferson National Expansion Memorial.


River Mile 172-177

Wilclite

173.5-176.0(L) - Important area for mourning dove.

Recreation


174.4(R) - Upper and Lower Bellerive Park.



River Mile 166-172

Recreation


- 167.6(R) Cliff Cave contains a picnic area, bluffs, and caves. The Cliff Cave Natural Area is also located here.
- 170.0-171.0(R) Jefferson Barracks Historical Park (camping, pionic area, historic site).
- 171.5(%) Black Forest Park (picnic area).




River Mile 160-166

Recreation

162.8 - Eee Tree (hiking trail and picnic area).











Spawning habitat Sport fishing area Important commercial fishing area Mussel bed


FISHERIES














Water oriented recreation facility Public park or recreation area Popular water sport area Access to side channel



APPENDIX J PRIVATE WELL SAMPLE FORMS

1)	1	65	Z
C/	1		-

	R SUPPLY SAMPLE FORM
SAMPLES SHOULD REACH LABOR	RATORY WITHIN 30 HOURS AFTER COLLECTION
COMPLETE ITEMS 1 - 8 IN BO	OX. USE BLACK PENCIL OR BLACK TYPING
A HAME OF SOURCE LALGERNCE	WOTSO WI
OR FACILITY HAME:	AME OF SOURCE OFFICIAL USE
IL ADDRESS OF SQUACE: 2204 FALLIN	W. I. P. D. d
этяссу	FRURAL ROUTE/ROAD
101ha 11/2	1162291/63 111. REGION OR LHD: 14
CITY/TOWA/STAT	TE ZIP COOK PEOUNTY COOK
101,70	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2 DATE COLLECTED: 15 15 15 1 TIME C	COLLECTED: 13 PROGRAM CODE:
	14 COLLECTOR ID:
A IS SUPPLY CHLORINATED? 1 5	15. FACILITY ID:
S HAME OF COLLECTOR: (1) The CLASSIA	AND COME DESCRIPTION (OF TOTAL)
SOURCE OF SUPPLY IS: ICHECK APPROPRIATE BOX & COMPL	7. SAMPLE LOCATION
	OTHER THAN WELL CER SHE SELOWITH
	PRING IS G AT TAP N
· BONES	AKE L d OTHER O
B. MAIL REPORT TO:	THER
AME E side Health Dustreet	BPWARYS.
STREET, STIPE	
MILETON SE THE TOTAL SEPTEMBER	11. 22016
21P COC	DE. 6:230 B
TELEPHONE 4981 (CV) 2.741 4747.4	
FOR LABO	RATORY USE ONLY
16. RESULTS:	17. DATE RECEIVED AT LABORATORY: MO DAY YR AM PM
PARAMETER ID	106-18 1885 TIME: 1917
τστλι cα. (με) 3010 (TIME: TIME:
TOTAL COL: (MPN) 3011	18. DECHLORINATED BOTTLE? 1 0 20
FECAL COLI 3030 H	
FECAL STREP 3090	WORK AREA:
NITRATE IQUAL! 1220 410	10 1 .1 .01 .001 MEMBRANE FILTER
MITRATE (QUAN) . 1230	COLIFORM COLIFORM
*CODE UNIT AS FOLLOWS:	19. DATE REPORTED FROM LABORATORY:
# = PERCEPT H = /100ML Q = COLOR A = GRAMS I = MICROGRAM./L T = TU B = /GM	MO DAY YE MAKETS!
C = 0600 L = MC/L X = PPM F = 0607 M = /ML Y = PPB	- FI-FI-FI
. INTERPRETATION OF RESULTS: COLIFORM NITRATE	TURBIDITY LHD STAMP
SATISFACTORY SATISFACTORY UNSATISFACTORY	SATISFACTORY
REMARKS	
See attached 8-9-85 LW.	ored to leaw ford

REPORT OF ANALYSIS

This sample has been analyzed for pollutional bacteria called "coliforms" which are normally present in the intestinal tract of humans, birds, and land animals. They are always found in sewage, and are generally present in surface water and shallow ground water. Coliforms in a water sample usually indicate that pollution is entering the water supply and that organisms which cause intestinal infections may be present or may gain entrance to the supply. Proper location, construction, and maintenance of a supply will prevent pollution from entering, thus assuring a bacteriologically safe water.

	OPINIONS checked below indicate the quality of the water for drinking at the time of sample collection:
	SAFE for drinking, but the continued safety depends upon the source being properly located, contructed, and maintained as explained in our circular. Do not rely on a "safe" analysis if there is any sanitary defect in location or construction of source.
X	<u>POLLUTIONAL</u> bacteria present in sample. The water is UNSAFE to drink. Read our circular carefully for proper location and construction, and for disinfection. Pollutional organisms are destroyed by bringing the water to a rolling boil for three minutes.
X	NITRATE content - satisfactory - for use by children under one year.
	NITRATE content is too high for use by children under one year as it may cause "blue baby" illness. Nitrate in water cannot be decreased by boiling. A water with 10 or less milligrams of nitrate (as N) per liter (MG/L) is recommended.
	Local Health Department Stamp

SAMPLES SHOULD REACH LABORATORY WITHIN 30 HOURS AFTER COLLECTION			
- ECTOR - PREPARE ON	COMPLETE ITEMS 1 - 8 IN BOX. USE BLACK PENCIL (FORM FOR EACH SAMPLE.	OR BLACK TYPING	
10. NAME OF SOURCE OR FACILITY NAME:	19hill Sold of Source	OFFICIAL USE	
16. ADDRESS OF SOURCE:	3300 FAILLY SORT	9. MICROFILM NO:	
	STOTT / RU RAL AOUTE / ROAD	10. TRAN. CODE: 5,5	
	Cahak Jia	GOUNTY CORE	
	217 (00)	(SEE SACE) 12 LABORATORY ID: QQ	
2 DATE COLLECTED:	TIME COLLECTED: VIDO	13. PROGRAM CODE:	
	YES NO	14 COLLECTOR ID:	
4 IS SUPPLY CHLORINATED?	SAMPLE POINT DESCRIPTION (GPTIONAL)	
S. NAME OF COLLECTOR:	V. Mayrian		
6. SOURCE OF SUPPLY IS: /C.	HECK APPROPRIATE BOX & COMPLETE WHERE NECESSARY	7. SAMPLE LOCATION	
DUG	SELOW) IF WELL STEED OF THE THE WELL CHECK ONE SELOW ENTER DEPTH B. CITY WATER	RAW AT PUMP	
DRILLED P	C d. SPRING	FILTERED	
BORED	6. OTHER	₫ ОТНЕЯ	
8. MAIL REPORT TO:	or all at a	\mathbb{R}^{n}	
NAME: TREET I	REM REM	ARKSI	
R, ETC: 133,42.	1 - 1 0201 1 0221		
STATE GOLD	I day Ill code: 6230 4		
TELEPHONE NBR: (2)			
	FOR LABORATORY USE OF		
16. RESULTS:	17. DATE REC	EIVED AT LABORATORY:	
PARAMETER 10	UNIT JUL S		
TOTAL COLI (MF) 3010 TOTAL COLI (MPN) 3011	- 2 . 2 u	TIME:	
TOTAL COLI (MPN) 3011 FECAL COLI 3030	18. DECHLOR	INATED BOTTLE? 1 XEF 0 TO	
FECAL STREP 3090	WORK AREA:		
NITRATE (QUAL) 1220	10 1 .1 .0	1 .001 MEMBRANE FILTER	
HITRATE (QUADECHLORSO)		COLIFORM COLIFORM	
NO CHEMIC	AL ANALYSIS .		
	/100ML 0 = COLOR	19. DATE REPORTED FROM LABORATORY: MO DAY YA AHALYST	
	MICROGRAM/L. T = TU /100gm	.el - 1 - 8.5 P	
F = DEGF M =			
INTERPRETATION OF RE	SULTS: TURBIDITY	LHD STAMP	
SATISFACTORY UNSATISFACTORY	SATISFACTORY SATISFACTORY UNSATISFACTORY UNSATISFACTORY		
<u>.</u>			
8-2-85	- yw food to Ceaufor	d)	

IDEH . COGCE 021 . REV. 7/

PRIVATE WATER SUPPLY SAMPLE FORM

·		COLL CY CHIMIT DE L'OILIN		
SAMPLES SHOULD REACH LABORATORY WITHIN 30 HOURS AFTER COLLECTION				
COMPLETE ITEMS 1 - 8 IN BOX. USE BLACK PENCIL OR BLACK TYPING ECTOR - PREPARE ONE FOR EACH SAMPLE.				
In. NAME OF SOURCE OR FACILITY NAME:	Leure Pr	S OF SOURCE	OFFICIAL USE	
16. ADDRESS OF SOURCE:	12482 Rever	S. CA.	9. MICROFILM HO:	
	CAGE KIA	1 / 6 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 /	
2 DATE COLLECTED	3 ZS VA 3. TIME COL	LECTEDI (000	12 PROGRAM CODE:	
4 IS SUPPLY CHLORINATED?	<i>] </i>	AMPLE POINT DESCRIPTION (OPTIONAL)	15. FACILITY ID:	
1 HAME OF COLLECTORI	Holmes & MAYUN	<u> </u>	 ,	
& SOURCE OF SUPPLY IS ICH	ECK APPROPRIATE BOX & COMPLET	TE WHERE NECESSARY)	7. SAMPLE LOCATION	
DUG	ENTER DEPTH L. CITY FEET C. CIST L. SPR C. LAK	Y WATER TY FERN. C ING S E. L	E. RAW AT PUMP P E. FILTERED	
8. MAIL REPORT TO:) 14/ /	1		
	ten 144 distr	REMARKS		
MA, ETCI 55 40 B	onkum, Rd.			
STATE LINE LOS		6,2204		
TELEPHONE NER: 6/8	- 18.25/1 - 146.921			
	FOR LABOR	ATORY USE ONLY		
16. RESULTS:		17. DATE RECEIVED AT LAS	BORATORY:	
PARAMETER 1D	UNIT	MAR 26 1986	19001110	
TOTAL COLI (MF) 3010	H A S A S A S A S A S A S A S A S A S A	L.J-[] TIM	$ \frac{90}{4} $	
TOTAL COLI (MPH) 3011	45,5 H	18. DECHLORINATED BOTTI	F7 1 1 0 1	
FECAL COLI 3030	H.	•		
FECAL STREP 3090	*	WORK AREA		
NITRATE (QUAL) 1220	<10	10 1 .1 .01 .001	MEMBRANE FILTER	
NITRATE (QUAN) 1230	L		COLIFORM COLIFORM	
Fe	10.5 X			
		19. °DĀTİ	E REPORTED	
	/100ML O = COLOR MICROGRAM./L T = TU	FROM	M LABORATORY: ANALYST	
B = /GM. J = C = DEGC L =	/100GML U = MICROGML/ML MG/L X = PPM	. [3	1-158-1861 (J.M)	
F = DEGF M =	/ML Y = PPS			
IL INTERPRETATION OF RE	SULTS:	TURBIDITY	LHD STAMP	
SATISFACTORY UNBATISFACTORY	SATISFACTORY [SATISFACTORY UNSATISFACTORY	•	
BEHLBES. NO AMERICAN	essonalde estade	to Hed T. C.	1 11	
3-31-8	6	V ored L. Co	ear force	
			<i>1</i>	

Marin and V. Kenner ellolor

וחפט • התחבחסי • פבי דיהם

	SAMPLES SHOULD REACH L	ABORATORY WITHIN 30 HOUR	AFTER COLLECT
LECTOR - PREPARI	COMPLETE ITEMS 1 - 8 E ONE FORM FOR EACH SAMPLE.	IN BOX. USE BLACK PENCIL	OR BLACK TYPIN
Jin. NAME OF SOURCE OR FACILITY NAME	KARRY BRO	OICS	OFFICIAL USE
1L ADDRESS OF SOURCE	10112 1	is LANG	9. MICROFILM NO:
		TREET/RUBAL ROUTE/HUAD	10. TRAN. CODE: 5.5
	1 CAhakiA.	IL 16220	4 / 3 11. REGION OR LHD:
	CITY/TOWN	STATE ZIP COD	(SEE BACE) 12 LABORATORY ID:
2 DATE COLLECTED:	OS 09 88 3 T	IME COLLECTED: 0935	13 PROGRAM CODE:
			14 COLLECTOR ID:
4 IS SUPPLY CHLORINA		SAMPLE POINT DESCRIPTION	15 FACILITY ID:
5. NAME OF COLLECTOR	HESTER BOWN	e/7c	
6. SOURCE OF SUPPLY I	St TCHECK APPROPRIATE BOX & C	OMPLETE WHERE NECESSARYI	7. SAMPLE LOCATION
DUG	ONT BELOW! IF WELL D	b. CITY WATER Y	RAW AT PUMP [P]
DRILLEO		c. CISTERN C	FILTERED F
BORED		•. LAKEL	d OTHER
8. MAIL REPORT TO:	•	1. dimon	
NAME: LARR	4 BROOKS		1ARX S1
STREET, 24/3	Renois LANC		
STATE CAhok	LiA	EIP CODE: 62206	
TELEPHONE NBR: 61	8 - 1337 - 11297		
	FOR L	ABORATORY USE O	NL Y
16. RESULTS:		17. DATE REC	EIVED AT LABORATORY:
PARAMETER	10 UNIT*		
TOTAL COLI (MF) 3	010 H	: Les 1-6.	19-E, TIME: (6.17-)
TOTAL COLI (MPN) 3	011 (S. 3. 3.) H	N DECHLOR	INATED BOTTLE? 1
FECAL COL1 34	030 Н		THE SOUTH OF THE STATE OF THE S
FECAL STREP 30	090	WORK AREA:	<u> </u>
NITRATE (QUAL)	220	10 1 .1 .0	MEMBRANE FILTER
NITRATE (OUAN) 12	230		COLIFORM COLIFORM
			
CODE UNIT AS FOLLO			19. DATE REPORTED FROM LABORATORY
A = GRAMS I	= /100ML O = COLOR = MICROGRAML/L T = TU = /100GM U = MICROG	м /мі	15112+18816 ANALYST
C = DEGC L	= /100gM. U = Microg = MG/L X = PPM = /ML Y = PPB	THE PARTY OF THE P	21-15-C11
. INTERPRETATION OF	RESULTS:	**************************************	LHD STAMP
COLIFORM SATISFACTORY	NITRATE SATISFACTORY	TURBIDITY SATISFACTORY	
UNSATISFACTORY	CHLORINATED SAMPLE	UNSATISFACTORY	
REMARKS, D	O CHEMICAL ANALYSIS		
	M Climater III		

_		1 7 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
•	\$	AMPLES SHOULD REACH LABOR.	ATORY WITHIN 30 HOURS AFTER COLLECT	TION
	COLLECTOR - PREPARE ONE		X. USE BLACK PENCIL OR BLACK TYPIN	
	10. NAME OF SOURCE OR FACILITY NAME:	LARRY W. S	MITA	24275 OFFICIAL USE
	16. ADDRESS OF SOURCE:	1.303 ST 579	wens	9. MICROFILM NO:
		CAholeia	16220611	10. TRAN. CODE: 5.5
		CITY/TOWN/STAT	E ZIP CODE COUNTY CODE (SEE BACK)	12 LABORATORY ID: DO
j	2 DATE COLLECTED:	06/3 88 3. TIME CO	OLLECTED: 1030	13 PROGRAM CODE:
	4 15 SUPPLY CHLORINATED?			14 COLLECTOR ID:
		Lester Bonnette	SAMPLE POINT DESCRIPTION (OPTIONAL)	
	6. SOURCE OF SUPPLY IS: ICHE	CX APPROPRIATE BOX & COMPLE	ETE WHERE NECESSARY)	
	g. WELL IF WALL - CHECK ONE AL			7. SAMPLE LOCATION
	DUG	ENTER DEPTH b. CI	TY WATER IY	RAW AT PUMP F
1	DRIVEN V	1 110 · d. 5º	PRING	d OTHER O
1	ديا	· — ·	HER	- OTACA
	8. MAIL REPORT TO:			6. 506.
١	NAME: LARRY W	SMITH	ARMARYS, C/C	FOR SAFE
•	RM. ETC: 13.03	T. STEVENS	Drinking	Water
ł	STATE CARDITIA		62206	
	TELEPHONE NBA: 6/8 -	337 - 5845		
		FOR LABO	RATORY USE ONLY	
	16. RESULTS:		17. DATE RECEIVED AT LABORA	ATORY:
	PARAMETER ID TOTAL COLI (MF) 3010	UH17*	JUN 1 4 1988 TIME	19161 1115%
	TOTAL COLINIMPN) 3011	7/6.0 H	•	\res \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
١	FECAL COLI 3030		18. DECHLORINATED BOTTLE?	0
1	FECAL STREP 3090	L	WORK AREA:	' \
	NITRATE (QUAL) 1220		10 1 .1 .01 .001	MEMBRANE FILTER
l	NITRATE (QUAN) 1230			COLIFORM COLIFORM
1				
	•			
	CODE UNIT AS FOLLOWS:		19. DATE RE	5-5-1 T-5-1
	% = PERCENT H = /10 A = GRAMS = MIC B = /GML J = /10	ROGRAM./L. T = TU	MO D	ANALYS!
ĺ	C = DEGC L = MG. F = DEGF M = /ML	/L X = PPM	ر الحا-ال	B-E
1	14 INTERPRETATION OF RESUL	TSE AUTRATE	TURRIDITY	LHD STAMP
	COLIFORM SATISFACTORY		TURBIDITY SATISFACTORY	
1	DECHLORINA	(1KB, '12') —	UNSATISFACTORY	
	REMARKS	VI WHATARA		
١.				
-	UNSAFE TO DRINK! B	ALTERIA PRESENT IN S	SAMPLE.	

1000 - COSC 021 - 101 7/7

AUG 1 1 1989 SAMPLES SHOULD REACH LABORATORY WITH	IN 30 HOURS AFTER COLLECTION
COMPLETE ITEMS 1 - 8 IN BOX. USE BLA COLLECTOR PREPARE ONE FORM FOR EACH SAMPLE.	
TIO. NAME OF SOURCE H. E. KEARBY	<u> </u>
OR FACILITY NAME:	OFFICIAL USE
IL ADDRESS OF SOURCE: 144 ST JAMES	9. MICROFILM NO:
STREET/RUBAL BOUTE/	10. TRAN. CODE: 5,5
CAHOKIA, IL	11. REGION OR LHD:
CITYTOWN/STATE	(SEE BACE) 12 LABORATORY ID: DO
2 DATE COLLECTE 08 2789 3. TIME COLLECTE	0845 13 PROGRAM CODE:
MQ DAY IR	14 COLLECTOR ID:
4 IS SUPPLY CHLORINATED? 1	IS FACILITY ID:
S. HAME OF COLLECTOR: LETER BONNETTE FAT	
6. SOURCE OF SUPPLY IS: IL HELK APPROPRIATE BOX & COMPLETE WHERE N	
a. WELL, UP WELL LINE CHAP BELOW! IF WELL CHECK DRESENCE THAN WELL	7. SAMPLE I OCATION
DUG D ENTER DEPTH B. CITY WATER	Y RAW AT PUMP P
DRIVEN V BORED B	S c. AT TAP
8. MAIL REPORT TO:	L OTHER
11	AL E- EREE
NAME: HE KEARRY	REMARKS CZ FOR SAFE
RR, ETC: 1944 SI AMES	WATCH
STATE CHARLA IL 211 COIR: 6220	<u> </u>
(ELEPHONE HIM: 6.18 - 332 - 6.557)	·
FOR LABORATORY	USE ONLY
16. RESULTS: 17.	DATE RECEIVED AT LABORATORY:
PARAMETER ID UNIT*	10.129 189
POTAL COLL (MF) 3010 H	TIME: LI LIPO O
TOTAL COLINAMIN) 3011 2001	DECHLOSINATED BOTTLES 1 0 V
FT CAL COX 1 3030 H	DECHLORINATED BOTTLE? 1
FECAL STREET 1090 H WORK AREA	A:
NITHATE IGNALI 1220 61.0	1 .) .01 .001 MEMBRANE FILTER
NITRATE (CHAN) 1230	COLIFORM COLIFORM
SELLDOMONAS AERUGINOSA PRESENT	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	19. DATE REPORTED
*CODE UNIT AS FOLLOWS: TO = PERCENT H T / 100ML O = COLOR A T GRAMS T MICROGRAM/L T T TU	FROM LABORATORY:
8 * /GM	191-1/1-189 ~ ~ JW
F = DCGF M = /ML Q = PPE	hadral tanker annual
'4L INTERPRETATION OF RESULTS: COLIFORM NITRATE TURBIDITY	LHD STAMP
SATISFACTORY SATISFACTORY SATISFACTORY	
[] UNSATISFACTORY UNSATISFACTORY UNSATISFACTORY	ENSISTED HEADTH DOLARTHERT
REMARKS	5540 BUNKUM ROAD WASHINGTON PARK, IL 62204
	Attn: Lester Bonnette
	I treette meneral accourance

	SAMPLES SHOULD REACH LABORA	TORY WITHIN 30 HOURS AF	TER COLLECTION	
ECTOR - PREPARE ONE	COMPLETE ITEMS 1 - 8 IN 80 FORM FOR EACH SAMPLE.		BLACK TYPING	
TO. NAME OF SOURCE ON FACILITY NAME:	Miller Joseph	OF SOURCE	O F	FICIAL USE
16. ADDRESS OF SOURCE:	3202 FAILAN	NU *AC *ACUT: / ROAD	9. MICRO	FILM NO:
	Popol Jin.	(224)	10. TRAN.	CODE: S,S
	TATE NAWCT VETID	1 21P COOK	(BER BACK) 12 LABOR	RATORY ID: OO
2 DATE COLLECTED	MO DAY YA	PLLECTED: 1/10	13 PROGE	
4 IS SUPPLY CHLORINATED?	1. Mayren	SAMPLE POINT DESCRIPTION (OPT	15. FACIL	- · · · · · · · · · · · · · · · · · · ·
S MAHE OF COLLECTOR:	1. Mayre			•
& SOURCE OF SUPPLY IS: YOR	ECK AFFROPRIATE BOX & COMPLE		7. SAMPLE	LOCATION
OUG	ENTER DEPTH b. CI	TY WATER. Y STERN. C SING S KE. L	FILTERS & AT TAP.	Р _U MP
A. MAIL REPORT TO:		REMAR	· D D	
	inkism Kelen	1/ 124/		
_	874 - 41.62	E: <u>U23U7</u>		
		RATORY USE ONL	Y	pt
16. RESULTS:		17. DATE RECEIV	ED AT LABORATORY:	PM
<u> </u>	UNIT*	1 141 20	1985 TIME: [700]	م ليا
TOTAL TOLL MAN) 301:	, <u>< 2.2.</u> H	18. DECHLORINA	TED BOTTLE? 1 Y	0 (
PECAL COLI 3030	, , , , , , , , , , , , , , , , , , ,	WORK AREA:	•	
FECAL STREP 3090	<u> </u>	10 1 .1 .01 .0	2011	MBRANE FILTER
NITRATE (OUIMAS CHT OT 的 L	TED SAMPLE			FORM CONFCOM
SIMBHO CHEMIC	AL ANSTES			
*COCE UNIT AS FOLLOWS.			19. DATE REPORTED	
T, = PERCEYT H = / A = GRAMS 1 = M	CROGRAMI/L. T = TU		FROM LABORATORY:	MITTAN.
9 = 76M,	CL/L X W PPM	-	L.BJ - L-1 - 18.5	P ' '
166 INTERPRETATION OF RES	NITRATE SATISFACTORY	TURBIDITY SATISFACTORY	LHD ST	ГАЖР
UNSATINFACTORY	UNSATISFACTORY	UNSATISFACTORY		•
REMARKS:	TW. March	J. Custra		
	<u> </u>			

	AMPLE FURM		
SAMPLES SHOULD REACH LABORATORY WITHIN 30 HOURS AFTER COLLECTION			
COMPLETE ITEMS 1 - 8 IN BOX. USE BLACK P	ENCIL OR BLACK TYPING		
OR FACILITY HAME:	OFFICIAL USE		
16. ADDRESS OF SOURCE: 3302 Fa.44149. S.R. G	9. MICROFILM NO:		
STREET/RURAL ROUTE/ROAD	10. TRAN. CODE: 5,51		
CHROLI INVITANTALIA	2200 COUNTY SODE 11. REGION OR LHD:		
	12 LABORATORY ID:		
2 DATE COLLECTED: NO DAY YA 3. TIME COLLECTED:	13. PROGRAM CODE:		
YES NO	14 COLLECTOR ID:		
(1) 7	AIPTION (OPTIONAL)		
S. HAME OF COLLECTORION. MANAGEMENT			
4. SOURCE OF SUPPLY IS: ICHECK APPROPRIATE BOX & COMPLETE WHERE NECE.	SSARY) 7. SAMPLE LOCATION		
D. WELL (IF WELL - CHECK ONE BELOW) IF WELL CHECK ONE BELOW) OUG	RAW AT PUMP		
DAILLED R PEET , e. CISTERN	C & FILTERED F		
BORED B	S C AT TAP		
8. MAIL REPORT TO:			
NAME: East Side State Destruct.	REMARKS:		
BTREST, 5540 Bundom Pd.			
STATE East It dans Del I ZIP CODE: 1229			
TELEPHONE NBR: 48 - 874 - 4692			
FOR LABORATORY ÚS	EONLY		
16. RESULTS:	TE RECEIVED AT LABORATORY:		
	UG 6-1985 TIME 171-01 1 1 12		
1 <>2.2	U6 9-1989 TIME: 7 7 7		
FECAL COLI 3030	CHLORINATED BOTTLE? 1 TO 0		
FECAL STREP 3090 H WORK AREA:			
NITRATE (QUAL) 1220 L 10 1	.1 .01 .001 . MEMBRANE FILTER		
NITRATE (QUAN) DECHLORINATED SAMPLE:	COLIFORM FILTER		
NO CHEMICAL ANALYSIS			
*CODE UNIT AS FOLLOWS:	19. DATE REPORTED		
T PERCENT H = /100ML O = COLOR	FROM LABORATORY: MO DAY YR ANALYST		
B = /gm.	8-10-St 7Rem		
F = DEGF M = /ML Y = PPS			
16% INTERPRETATION OF RESULTS: COLIFORM NITRATE TURBIDITY	LHD STAMP		
SATISFACTORY SATISFACTORY SATISFACTORY			
UNSATISFACTORY UNSATISFACTORY UNSATISFACTORY			

TEL MOIS DEPARTMENT OF PUBLIC MEAL CH DIVISION OF LAHORATORIES SUPPLY SAMPLES SHOULD REACH LABORATORY WITHIN 30 HOURS AFTER COLLECTION .1111 1 5 1983 COMPLETE ITEMS 1 - 8 IN BOX. USE BLACK PENCIL OR BLACK TYPING LLECTOR - PREPARE ONE FORM FOR EACH SAMPLE. 10. NAME OF SOURCE OR FACILITY NAME: OFFICIAL 16. ADDRESS OF SOURCE: 9. NEROFILM NO 10. TRAN. CODE: 5.5 11. REGION OR LHD: 12 LABORATORY ID: 13. PROGRAM CODE: 2 DATE COLLECTED: 3. TIME COLLECTED 14. COLLECTOR ID: 4 IS SUPPLY CHLORINATED? 15. FACILITY ID: NAME OF COLLECTOR: 6. SOURCE OF SUPPLY IS: ICHECK APPROPRIATE BOX & COMPLETE WHERE NECESSARY) 7. SAMPLE LOCATION CHECK ONE BELOW! DUG D IF WELL ENTER DEPTH b. CITY WATER. RAW AT PUMP. V A c. CISTERN. . . . DRILLED. F C C T DRIVEN d. SPRING s G AT TAP. BORED. d. OTHER e. LAKE. . . . f. OTHER . . 8. MAIL REPORT TO: RR, ETC: ZIP CODE: 622 4/ - 13.37 - 1/57 18 TELEPHONE NBR: FOR LABORATORY USE ONLY 17. DATE RECEIVED AT LABORATORY: 16. RESULTS: -12 1983 PARAMETER ID TOTAL COLI (MF) 3010 TIME: TOTAL COLI (MPN) 3011 18. DECHLORINATED BOTTLE? 1 FECAL COLL 3030 WORK AREA: FECAL STREP 3090 ·H 10 01 MEMBRANE FILTER NITRATE (QUAL) 1220 FILTER COLIFORM NITRATE (QUAN) 1230 DATE REPORTED FROM LABORATORY: .CODE UNIT AS FOLLOWS: O = COLOR T = TU U = MICROGM./ML X = PPM: Y = PPB % = PERCENT A = GRAMS H = /100ML MALYST I = MICROGRAM./L.
J = /100GM. 8 = /GML C = 0EGC 83 MG/L 16% INTERPRETATION OF RESULTS: LHD STAMP NITRATE TURBIOITY COLIFORM SATISFACTORY
UNSATISFACTORY SATISFACTORY SATISFACTORY SATISFACTORY
UNSATISFACTORY UNSATISFACTORY East Side Health District. 5540 Bunkum Road REMARKS: __ E. St Louis, IL 62204

DO NOT

REMOVE

THIS

PAGE!

RECEIVED BY DYNCORP March 29,1995 D511746RFWG04A